| REF | ITEM | QUANTITY | UNIT | DESCRIPTION | EST. UNIT | EST. | MCCONNEL | | IG INC | BUD'S INC | | | DARBY CREE | EK EXCAVATIN | G INC |
|-----|---------|----------|------|-------------------------------------------------------|-------------------|-------------|-------------|-------------|--------------|-------------|-------------|---------------|------------|--------------|-----------------------------------------|
| NO. | NO. | | - | | COST | COST | UNIT \$ | COST | +/- EST | UNIT \$ | COST | +/- EST | UNIT \$ | COST | +/- EST |
| | 201 | 1 | LS | CLEARING AND GRUBBING | \$7,500.00 | \$7,500.00 | \$7,500.00 | \$7,500.00 | \$0.00 | \$4,000.00 | \$4,000.00 | (\$3,500.00) | \$1,500.00 | \$1,500.00 | (\$6,000.00) |
| 2 | 202 | 236 | SY | PAVEMENT REMOVED | \$19.97 | \$4,711.76 | \$8.00 | \$1,888.00 | (\$2,823.76) | \$24.00 | \$5,664.00 | \$952.24 | \$12.00 | \$2,832.00 | (\$1,879.76) |
| 3 | 202 | 56 | FT | PIPE REMOVED | \$15.87 | \$888.92 | \$6.00 | \$336.00 | (\$552.92) | \$45.00 | \$2,520.00 | \$1,631.08 | \$10.00 | \$560.00 | (\$328.92) |
| 4 | 202 | 236 | FT | GUARDRAIL REMOVED | \$1.77 | \$417.67 | \$3.00 | \$708.00 | \$290.33 | \$2.00 | \$472.00 | \$54.33 | \$2.00 | \$472.00 | \$54.33 |
| 5 | 203 | 196 | CY | EXCAVATION | \$20.92 | \$4,099.97 | \$20.00 | \$3,920.00 | (\$179.97) | \$15.00 | \$2,940.00 | (\$1,159.97) | \$35.00 | \$6,860.00 | \$2,760.03 |
| 6 | 203 | 250 | CY | EMBANKMENT | \$17.93 | \$4,482.53 | \$20.00 | \$5,000.00 | \$517.47 | \$24.00 | \$6,000.00 | \$1,517.47 | \$40.00 | \$10,000.00 | \$5,517.47 |
| 7 | 204 | 234 | SY | SUBGRADE COMPACTION | \$2.82 | \$659.33 | \$2.00 | \$468.00 | (\$191.33) | \$3.00 | \$702.00 | \$42.67 | \$2.00 | \$468.00 | (\$191.33) |
| 8 | 204 | 50 | CY | EXCAVATION OF SUBGRADE | \$23.28 | \$1,164.02 | \$8.00 | \$400.00 | (\$764.02) | \$15.00 | \$750.00 | (\$414.02) | \$30.00 | \$1,500.00 | \$335.98 |
| 9 | 204 | 50 | CY | GRANULAR MATERIAL, TYPE F | \$35.00 | \$1,750.00 | \$15.00 | \$750.00 | (\$1,000.00) | \$65.00 | \$3,250.00 | \$1,500.00 | \$80.00 | \$4,000.00 | \$2,250.00 |
| 10 | 204 | 1 | | PROOF ROLLING | \$157.75 | \$157.75 | \$1.00 | \$1.00 | (\$156.75) | \$50.00 | \$50.00 | (\$107.75) | \$100.00 | \$100.00 | (\$57.75) |
| 11 | 204 | 50 | SY | GEOTEXTILE FABRIC | \$2.50 | \$125.00 | \$1.00 | \$50.00 | (\$75.00) | \$1.00 | \$50.00 | (\$75.00) | \$2.00 | \$100.00 | (\$25.00) |
| 12 | 606 | 237.5 | FT | GUARDRAIL, TYPE MGS | \$16.52 | \$3,924.48 | \$22.00 | \$5,225.00 | \$1,300.52 | \$18.50 | \$4,393.75 | \$469.27 | \$23.70 | \$5,628.75 | \$1,704.27 |
| 13 | 606 | 1 | EACH | ANCHOR ASSEMBLY, TYPE A | \$1,155.02 | \$1,155.02 | \$1,500.00 | \$1,500.00 | \$344.98 | | \$1,500.00 | \$344.98 | \$1,639.00 | \$1,639.00 | \$483.98 |
| 14 | 606 | 3 | EACH | ANCHOR ASSEMBLY, TYPE T | \$671.77 | \$2,015.32 | \$1,000.00 | \$3,000.00 | \$984.68 | | \$3,000.00 | \$984.68 | \$1,045.00 | \$3,135.00 | \$1,119.68 |
| 15 | 611 | 95 | FT | 12" CONDUIT, TYPE D | \$48.92 | \$4,647.05 | \$50.00 | \$4,750.00 | \$102.95 | \$78.00 | \$7,410.00 | \$2,762.95 | \$70.00 | \$6,650.00 | \$2,002.95 |
| 16 | 626 | 4 | EACH | BARRIER REFLECTOR, TYPE 2, BIDIRECTIONAL | \$6.99 | \$27.95 | \$15.00 | \$60.00 | \$32.05 | \$8.00 | \$32.00 | \$4.05 | \$13.20 | \$52.80 | \$24.85 |
| 17 | SPECIAL | 16 | EACH | MAILBOX REMOVED AND RESET | \$127.17 | \$2,034.68 | \$35.00 | \$560.00 | (\$1,474.68) | \$100.00 | \$1,600.00 | (\$434.68) | \$150.00 | \$2,400.00 | \$365.32 |
| 18 | 653 | 14 | CY | TOPSOIL FURNISHED AND PLACED | \$40.74 | \$570.32 | \$45.00 | \$630.00 | \$59.68 | \$25.00 | \$350.00 | (\$220.32) | \$80.00 | \$1,120.00 | \$549.68 |
| 19 | 659 | 1 | | SOIL ANALYSIS TEST | \$124.78 | \$124.78 | \$50.00 | \$50.00 | (\$74.78) | \$25.00 | \$25.00 | (\$99.78) | \$350.00 | \$350.00 | \$225.22 |
| 20 | 659 | 476 | SY | SEEDING AND MULCHING | \$4.24 | \$2,017.79 | \$3.00 | \$1,428.00 | (\$589.79) | \$3.00 | \$1,428.00 | (\$589.79) | \$5.50 | \$2,618.00 | \$600.21 |
| 21 | 659 | 100 | SY | REPAIR SEEDING AND MULCHING | \$0.94 | \$93.64 | \$0.50 | \$50.00 | (\$43.64) | \$0.01 | \$1.00 | (\$92.64) | \$1.50 | \$150.00 | \$56.36 |
| 22 | 659 | 0.05 | TON | COMMERCIAL FERTILIZER | \$848.77 | \$42.44 | \$600.00 | \$30.00 | (\$12.44) | \$600.00 | \$30.00 | (\$12.44) | \$5.50 | \$0.28 | (\$42.16) |
| 23 | 659 | 0.11 | ACRE | LIME | \$203.02 | \$22.33 | \$400.00 | \$44.00 | \$21.67 | \$300.00 | \$33.00 | \$10.67 | \$2.20 | \$0.24 | (\$22.09) |
| 24 | 659 | 3 | MGAL | WATER | \$500.00 | \$1,500.00 | \$1.00 | \$3.00 | (\$1,497.00) | \$1.00 | \$3.00 | (\$1,497.00) | \$1.00 | \$3.00 | (\$1,497.00) |
| 25 | SPECIAL | 100 | FT | EROSION CONTROL (PERIMETER FILTER FABRIC FENCE) | \$2.00 | \$200.00 | \$2.50 | \$250.00 | \$50.00 | \$1.00 | \$100.00 | (\$100.00) | \$3.00 | \$300.00 | \$100.00 |
| 26 | 301 | 29 | CY | ASPHALT CONCRETE BASE, PG64-22 | \$209.72 | \$6,082.02 | \$300.00 | \$8,700.00 | \$2,617.98 | \$300.00 | \$8,700.00 | \$2,617.98 | \$314.00 | \$9,106.00 | \$3,023.98 |
| 27 | 304 | 83 | CY | AGGREGATE BASE | \$79.17 | \$6,571.08 | \$95.00 | \$7,885.00 | \$1,313.92 | \$95.00 | \$7,885.00 | \$1,313.92 | \$80.00 | \$6,640.00 | \$68.92 |
| 28 | 407 | 25 | GAL | TACK COAT, (FOR INTERMEDIATE COURSE) | \$2.15 | \$53.82 | \$10.00 | \$250.00 | \$196.18 | \$1.85 | \$46.25 | (\$7.57) | \$2.25 | \$56.25 | \$2.43 |
| 29 | 407 | 15 | GAL | TACK COAT, (FOR BASE COURSE) | \$2.00 | \$29.94 | \$10.00 | \$150.00 | \$120.06 | \$1.85 | \$27.75 | (\$2.19) | \$2.25 | \$33.75 | \$3.81 |
| 30 | 411 | 16 | CY | STABILIZED CRUSHED AGGREGATE, AS PER PLAN | \$101.69 | \$1,627.02 | \$75.00 | \$1,200.00 | (\$427.02) | \$130.00 | \$2,080.00 | \$452.98 | \$100.00 | \$1,600.00 | (\$27.02) |
| | | | | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64- | | | | | | | | | | | |
| 31 | 441 | 21 | CY | 22 | \$161.03 | \$3,381.66 | \$325.00 | \$6,825.00 | \$3,443.34 | \$325.00 | \$6,825.00 | \$3,443.34 | \$330.00 | \$6,930.00 | \$3,548.34 |
| | | 47 | 01/ | | ¢124.41 ¢2.114.07 | | | | | | | | | | |
| 32 | 441 | 17 | CY | ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448) | \$124.41 | \$2,114.97 | \$310.00 | \$5,270.00 | \$3,155.03 | \$310.00 | \$5,270.00 | \$3,155.03 | \$325.00 | \$5,525.00 | \$3,410.03 |
| 33 | 630 | 48 | FT | GROUND MOUNTED SUPPORT, NO. 2 POST | \$10.67 | \$512.11 | \$12.00 | \$576.00 | \$63.89 | \$10.00 | \$480.00 | (\$32.11) | \$12.40 | \$595.20 | \$83.09 |
| 34 | 630 | 12 | SF | SIGN, FLAT SHEET | \$23.77 | \$285.24 | \$30.00 | \$360.00 | \$74.76 | \$15.50 | \$186.00 | (\$99.24) | \$33.00 | \$396.00 | \$110.76 |
| 35 | 630 | 4 | EACH | REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL | \$10.52 | \$42.08 | \$25.00 | \$100.00 | \$57.92 | \$5.00 | \$20.00 | (\$22.08) | \$20.00 | \$80.00 | \$37.92 |
| 20 | 620 | 4 | | REMOVAL OF GROUND MOUNTED POST SUPPORT AND | ¢11.00 | ¢ 47 БО | | | | | | · · · | | | |
| 36 | 630 | 4 | EACH | DISPOSAL | \$11.88 | \$47.52 | \$25.00 | \$100.00 | \$52.48 | \$5.00 | \$20.00 | (\$27.52) | \$20.00 | \$80.00 | \$32.48 |
| 37 | 202 | 1 | LS | STRUCTURE REMOVED | \$10,000.00 | \$10,000.00 | \$27,000.00 | \$27,000.00 | \$17,000.00 | \$12,000.00 | \$12,000.00 | \$2,000.00 | \$3,500.00 | \$3,500.00 | (\$6,500.00) |
| 38 | 203 | 15 | CY | ROAD, MISC.:, SAND, AS PER PLAN | \$30.00 | \$450.00 | \$50.00 | \$750.00 | \$300.00 | \$50.00 | \$750.00 | \$300.00 | \$60.00 | \$900.00 | \$450.00 |
| 39 | 503 | 1 | LS | COFFERDAMS AND EXCAVATION BRACING | \$5,000.00 | \$5,000.00 | \$3,000.00 | \$3,000.00 | (\$2,000.00) | \$5,000.00 | \$5,000.00 | \$0.00 | \$6,000.00 | \$6,000.00 | \$1,000.00 |
| 40 | 503 | 1 | LS | UNCLASSIFIED EXCAVATION | \$5,000.00 | \$5,000.00 | \$4,500.00 | \$4,500.00 | (\$500.00) | \$4,500.00 | \$4,500.00 | (\$500.00) | \$3,000.00 | \$3,000.00 | (\$2,000.00) |
| 41 | 509 | 8,366 | LB | EPOXY COATED REINFORCING STEEL | \$1.29 | \$10,761.27 | \$2.25 | \$18,823.50 | \$8,062.23 | \$1.28 | \$10,708.48 | (\$52.79) | \$1.60 | \$13,385.60 | \$2,624.33 |
| 40 | | | | CLASS QC1 CONCRETE, RETAINING/WINGWALL NOT | | | | | | | | . , | | | |
| 42 | 511 | 28 | CY | INCLUDING FOOTING | \$909.69 | \$25,471.29 | \$600.00 | \$16,800.00 | (\$8,671.29) | \$900.00 | \$25,200.00 | (\$271.29) | \$1,200.00 | \$33,600.00 | \$8,128.71 |
| 42 | 511 | 82 | CY | CLASS QC1 CONCRETE, FOOTING | \$575.00 | \$47,150.00 | \$500.00 | \$41,000.00 | (\$6,150.00) | \$440.00 | \$36,080.00 | (\$11,070.00) | \$525.00 | \$43,050.00 | (\$4,100.00) |
| 44 | 512 | 100 | SY | SEALING OF CONCRETE SURFACES (EPOXY-URETHANE) | \$19.35 | \$1,935.27 | \$15.00 | \$1,500.00 | (\$435.27) | \$25.00 | \$2,500.00 | \$564.73 | \$30.00 | \$3,000.00 | \$1,064.73 |
| 45 | 512 | 224 | SY | TYPE 2 WATERPROOFING | \$16.82 | \$3,768.30 | \$21.00 | \$4,704.00 | \$935.70 | \$18.00 | \$4,032.00 | \$263.70 | \$23.50 | \$5,264.00 | \$1,495.70 |
| 46 | 516 | 58 | SF | 1" PREFORMED EXPANSION JOINT FILLER | \$4.67 | \$270.62 | \$2.00 | \$116.00 | (\$154.62) | \$15.00 | \$870.00 | \$599.38 | \$10.00 | \$580.00 | \$309.38 |
| 47 | 518 | 48 | CY | POROUS BACKFILL WITH GEOTEXTILE FABRIC | \$90.49 | \$4,343.45 | \$85.00 | \$4,080.00 | (\$263.45) | \$110.00 | \$5,280.00 | \$936.55 | \$1.40 | \$67.20 | (\$4,276.25) |
| | | | | ROCK CHANNEL PROTECTION, TYPE B WITH GEOTEXTILE | | · · · | 1 | - | | | | | | | , , , , , , , , , , , , , , , , , , , , |
| 48 | 601 | 74 | CY | FABRIC | \$102.49 | \$7,584.16 | \$110.00 | \$8,140.00 | \$555.84 | \$95.00 | \$7,030.00 | (\$554.16) | \$120.00 | \$8,880.00 | \$1,295.84 |
| · | | • | | | • | | | | | | | A | | | |

| REF | ITEM | EM QUANTITY UNIT DESCRIPTION EST. UNI | | | EST. UNIT | EST. | MCCONNELL CONTRACTING INC BUD'S INC DARBY | | | | | | DARBY CRE | BY CREEK EXCAVATING INC | |
|-----|------|---------------------------------------|----|-------------------------------------------------------------------|------------|-------------|-------------------------------------------|--------------|--------------|-------------|--------------|-------------|-------------|-------------------------|---------------|
| NO. | NO. | | | | COST | COST | UNIT \$ | COST | +/- EST | UNIT \$ | COST | +/- EST | UNIT \$ | COST | +/- EST |
| 49 | 611 | 57 | FT | 16' x 8' CONDUIT, TYPE A, 706.05, AS PER PLAN, DESIGN COVER 6' | \$1,500.00 | \$85,500.00 | \$1,500.00 | \$85,500.00 | \$0.00 | \$1,600.00 | \$91,200.00 | \$5,700.00 | \$1,310.00 | \$74,670.00 | (\$10,830.00) |
| 50 | 614 | 1 | LS | MAINTAINING TRAFFIC | \$2,500.00 | \$2,500.00 | \$3,000.00 | \$3,000.00 | \$500.00 | \$3,000.00 | \$3,000.00 | \$500.00 | \$5,000.00 | \$5,000.00 | \$2,500.00 |
| 51 | 623 | 1 | LS | CONSTRUCTION LAYOUT STAKES AND SURVEYING | \$2,500.00 | \$2,500.00 | \$750.00 | \$750.00 | (\$1,750.00) | \$3,000.00 | \$3,000.00 | \$500.00 | \$4,000.00 | \$4,000.00 | \$1,500.00 |
| 52 | 624 | 1 | LS | MOBILIZATION | \$5,000.00 | \$5,000.00 | \$9,000.00 | \$9,000.00 | \$4,000.00 | \$10,000.00 | \$10,000.00 | \$5,000.00 | \$15,000.00 | \$15,000.00 | \$10,000.00 |
| | | | | | | | | | | | | | | | |
| | | | | | | 282,314.56 | | \$298,680.50 | \$16,365.94 | | \$298,994.23 | \$16,679.67 | | \$303,378.07 | \$21,063.50 |

| ITEM | QUANTITY | UNIT | DESCRIPTION | EST. UNIT | EST. | ALAN STONE | E CO INC | |
|---------|----------|------|-------------------------------------------------------|---------------|-------------|-------------|---------------------------|----------------------------------------------|
| NO. | | | | COST | COST | UNIT \$ | COST | +/- EST |
| 201 | 1 | LS | CLEARING AND GRUBBING | \$7,500.00 | \$7,500.00 | \$3,200.00 | \$3,200.00 | (\$4,300.00) |
| 202 | 236 | SY | PAVEMENT REMOVED | \$19.97 | \$4,711.76 | \$4.50 | \$1,062.00 | (\$3,649.76) |
| 202 | 56 | FT | PIPE REMOVED | \$15.87 | \$888.92 | \$13.00 | \$728.00 | (\$160.92) |
| 202 | 236 | FT | GUARDRAIL REMOVED | \$1.77 | \$417.67 | \$2.50 | \$590.00 | \$172.33 |
| 203 | 196 | CY | EXCAVATION | \$20.92 | \$4,099.97 | \$18.50 | \$3,626.00 | (\$473.97) |
| 203 | 250 | CY | EMBANKMENT | \$17.93 | \$4,482.53 | \$11.00 | \$2,750.00 | (\$1,732.53) |
| 204 | 234 | SY | SUBGRADE COMPACTION | \$2.82 | \$659.33 | \$2.50 | \$585.00 | (\$74.33) |
| 204 | 50 | CY | EXCAVATION OF SUBGRADE | \$23.28 | \$1,164.02 | \$18.00 | \$900.00 | (\$264.02) |
| 204 | 50 | CY | GRANULAR MATERIAL, TYPE F | \$35.00 | \$1,750.00 | \$105.00 | \$5,250.00 | \$3,500.00 |
| 204 | 1 | HOUR | PROOF ROLLING | \$157.75 | \$157.75 | \$270.00 | \$270.00 | \$112.25 |
| 204 | 50 | SY | GEOTEXTILE FABRIC | \$2.50 | \$125.00 | \$15.50 | \$775.00 | \$650.00 |
| 606 | 237.5 | FT | GUARDRAIL, TYPE MGS | \$16.52 | \$3,924.48 | \$27.00 | \$6,412.50 | \$2,488.02 |
| 606 | 1 | EACH | ANCHOR ASSEMBLY, TYPE A | \$1,155.02 | \$1,155.02 | \$1,800.00 | \$1,800.00 | \$644.98 |
| 606 | 3 | | ANCHOR ASSEMBLY, TYPE T | \$671.77 | \$2,015.32 | \$798.00 | \$2,394.00 | \$378.68 |
| 611 | 95 | FT | 12" CONDUIT, TYPE D | \$48.92 | \$4,647.05 | \$54.50 | \$5,177.50 | \$530.45 |
| 626 | 4 | EACH | BARRIER REFLECTOR, TYPE 2, BIDIRECTIONAL | \$6.99 | \$27.95 | \$14.50 | \$58.00 | \$30.05 |
| SPECIAL | 16 | EACH | MAILBOX REMOVED AND RESET | \$127.17 | \$2,034.68 | \$176.00 | \$2,816.00 | \$781.32 |
| 653 | 14 | CY | TOPSOIL FURNISHED AND PLACED | \$40.74 | \$570.32 | \$64.00 | \$896.00 | \$325.68 |
| 659 | 1 | EACH | SOIL ANALYSIS TEST | \$124.78 | \$124.78 | \$135.00 | \$135.00 | \$10.22 |
| 659 | 476 | SY | SEEDING AND MULCHING | \$4.24 | \$2,017.79 | \$3.00 | \$1,428.00 | (\$589.79) |
| 659 | 100 | SY | REPAIR SEEDING AND MULCHING | \$0.94 | \$93.64 | \$8.00 | \$800.00 | \$706.36 |
| 659 | 0.05 | TON | COMMERCIAL FERTILIZER | \$848.77 | \$42.44 | \$675.00 | \$33.75 | (\$8.69) |
| 659 | 0.11 | ACRE | LIME | \$203.02 | \$22.33 | \$800.00 | \$88.00 | \$65.67 |
| 659 | 3 | MGAL | WATER | \$500.00 | \$1,500.00 | \$0.01 | \$0.03 | (\$1,499.97) |
| SPECIAL | 100 | FT | EROSION CONTROL (PERIMETER FILTER FABRIC FENCE) | \$2.00 | \$200.00 | \$10.00 | \$1,000.00 | \$800.00 |
| 301 | 29 | CY | ASPHALT CONCRETE BASE, PG64-22 | \$209.72 | \$6,082.02 | \$378.00 | \$10,962.00 | \$4,879.98 |
| 304 | 83 | CY | AGGREGATE BASE | \$79.17 | \$6,571.08 | \$67.00 | \$5,561.00 | (\$1,010.08) |
| 407 | 25 | GAL | TACK COAT, (FOR INTERMEDIATE COURSE) | \$2.15 | \$53.82 | \$2.50 | \$62.50 | \$8.68 |
| 407 | 15 | GAL | TACK COAT, (FOR BASE COURSE) | \$2.00 | \$29.94 | \$2.50 | \$37.50 | \$7.56 |
| 411 | 16 | CY | STABILIZED CRUSHED AGGREGATE, AS PER PLAN | \$101.69 | \$1,627.02 | \$114.00 | \$1,824.00 | \$196.98 |
| | | | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64- | | | , | Ţ .,c | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 441 | 21 | CY | 22 | \$161.03 | \$3,381.66 | \$398.00 | \$8,358.00 | \$4,976.34 |
| | | | | • · • · · · · | | +000.00 | <i>(0,000,000)</i> | <i>•••••••••••••••••••••••••••••••••••••</i> |
| 441 | 17 | CY | ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448) | \$124.41 | \$2,114.97 | \$392.00 | \$6,664.00 | \$4,549.03 |
| 630 | 48 | FT | GROUND MOUNTED SUPPORT, NO. 2 POST | \$10.67 | \$512.11 | \$14.00 | \$672.00 | \$159.89 |
| 630 | 12 | SF | SIGN, FLAT SHEET | \$23.77 | \$285.24 | \$37.00 | \$444.00 | \$158.76 |
| 630 | 4 | | REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL | \$10.52 | \$42.08 | \$10.00 | \$40.00 | (\$2.08) |
| | - | | REMOVAL OF GROUND MOUNTED POST SUPPORT AND | | | ÷10.00 | ÷ 10.00 | (+2.00) |
| 630 | 4 | EACH | DISPOSAL | \$11.88 | \$47.52 | \$55.00 | \$220.00 | \$172.48 |
| 202 | 1 | LS | STRUCTURE REMOVED | \$10,000.00 | \$10,000.00 | \$16,000.00 | \$16,000.00 | \$6,000.00 |
| 202 | 15 | CY | ROAD, MISC., SAND, AS PER PLAN | \$30.00 | \$450.00 | \$80.00 | \$1,200.00 | \$750.00 |
| 503 | 10 | LS | COFFERDAMS AND EXCAVATION BRACING | \$5,000.00 | \$5,000.00 | \$8,100.00 | \$8,100.00 | \$3,100.00 |
| 503 | 1 | LS | UNCLASSIFIED EXCAVATION | \$5,000.00 | \$5,000.00 | \$5,000.00 | \$5,000.00 | \$0.00 |
| 509 | 8,366 | LB | EPOXY COATED REINFORCING STEEL | \$1.29 | \$10,761.27 | \$2.00 | \$16,732.00 | \$5,970.73 |
| | | | CLASS QC1 CONCRETE, RETAINING/WINGWALL NOT | | | Ψ2.00 | ψ10,102.00 | φ0,010.10 |
| 511 | 28 | CY | INCLUDING FOOTING | \$909.69 | \$25,471.29 | \$1,100.00 | \$30,800.00 | \$5,328.71 |
| 511 | 82 | CY | CLASS QC1 CONCRETE, FOOTING | \$575.00 | \$47,150.00 | \$457.00 | \$37,474.00 | (\$9,676.00) |
| 512 | 100 | SY | SEALING OF CONCRETE SURFACES (EPOXY-URETHANE) | \$19.35 | \$1,935.27 | \$29.00 | \$2,900.00 | \$964.73 |
| 512 | 224 | SY | TYPE 2 WATERPROOFING | \$16.82 | \$3,768.30 | \$9.00 | \$2,016.00 | (\$1,752.30) |
| 516 | 58 | SF | 1" PREFORMED EXPANSION JOINT FILLER | \$4.67 | \$270.62 | \$9.00 | \$87.00 | (\$183.62) |
| 518 | 48 | CY | POROUS BACKFILL WITH GEOTEXTILE FABRIC | \$90.49 | \$4,343.45 | \$120.00 | \$5,760.00 | \$1,416.55 |
| | | | ROCK CHANNEL PROTECTION, TYPE B WITH GEOTEXTILE | | | ψ120.00 | ψ0,700.00 | ψι,+ι0.55 |
| 601 | 74 | CY | FABRIC | \$102.49 | \$7,584.16 | \$70.00 | \$5,180.00 | (\$2,404.16) |
| | | | טואטה ון | | | φ10.00 | ψ0,100.00 | (ψ ∠, 404.10) |

| ITEM | QUANTITY | UNIT | DESCRIPTION | EST. UNIT | EST. | ALAN STON | I STONE CO INC | | |
|------|----------|------|-------------------------------------------------------|------------|-------------|-------------|----------------|-------------|--|
| NO. | | | | COST | COST | UNIT \$ | COST | +/- EST | |
| 611 | 57 | ст | 16' x 8' CONDUIT, TYPE A, 706.05, AS PER PLAN, DESIGN | ¢4 500 00 | \$85,500.00 | | | | |
| 011 | 57 | ΓI | COVER 6' | \$1,500.00 | \$65,500.00 | \$1,500.00 | \$85,500.00 | \$0.00 | |
| 614 | 1 | LS | MAINTAINING TRAFFIC | \$2,500.00 | \$2,500.00 | \$3,000.00 | \$3,000.00 | \$500.00 | |
| 623 | 1 | LS | CONSTRUCTION LAYOUT STAKES AND SURVEYING | \$2,500.00 | \$2,500.00 | \$6,000.00 | \$6,000.00 | \$3,500.00 | |
| 624 | 1 | LS | MOBILIZATION | \$5,000.00 | \$5,000.00 | \$15,000.00 | \$15,000.00 | \$10,000.00 | |
| | | | | | | | | | |
| | | | | | 282,314.56 | | \$318,368.78 | \$36,054.22 | |