

**Phase I Environmental Site Assessment
333 Lincoln Avenue,
Lancaster, Ohio
Volume 3 of 3 Appendices F (Partial)-I**



Submitted to:
Fairfield County
Board of Commissioners
210 East Main Street
Lancaster, Ohio 43130

Prepared by:
Bennett & Williams Environmental Consultants, Inc.
98 County Line Road West, Suite C
Westerville, Ohio 43082
(614) 882-9122

April 28, 2015



LIST OF APPENDICES

- A** Property Records (Fairfield County Auditor Tax Cards, Chain of Title and Deed Record Search, Title Search Report, and Environmental Lien and AUL Search)
- B** Sanborn® Fire Insurance Maps
- C** City Directory Images
- D** Aerial Photographs
- E** USGS Topographical Maps
- F** EDR Radius Map™ Report with GeoCheck®
- G** Local Environmental Record Source, Letters of Requests and Responses
- H** Photographs from Site Reconnaissance
- I** Qualifications of Environmental Professionals

Appendix F

EDR Radius Map TM Report With Geocheck [®]

Furniture Depot Facility


333 Lincoln Ave

Lancaster, OH 43130

Inquiry Number: 4230905.2s

March 11, 2015

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Findings Summary.....	4
Map Findings.....	8
Orphan Summary.....	131
Zip Scan Report.....	ZIP-1
Government Records Searched/Data Currency Tracking.....	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum.....	A-1
Physical Setting Source Summary.....	A-2
Physical Setting SSURGO Soil Map.....	A-5
Physical Setting Source Map.....	A-12
Physical Setting Source Map Findings.....	A-14
Physical Setting Source Records Searched.....	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/16/2014	Source: EPA
Date Data Arrived at EDR: 01/08/2015	Telephone: N/A
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/08/2015
Number of Days to Update: 32	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 07/21/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/07/2014	Telephone: 703-603-8704
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/26/2015
Number of Days to Update: 31	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/26/2015
Number of Days to Update: 31	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/03/2014	Source: Department of the Navy
Date Data Arrived at EDR: 12/12/2014	Telephone: 843-820-7326
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 02/16/2015
Number of Days to Update: 48	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/29/2014	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 09/30/2014	Telephone: 202-267-2180
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/29/2014
Number of Days to Update: 37	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A	Source: Ohio EPA
Date Data Arrived at EDR: N/A	Telephone: 614-644-2924
Date Made Active in Reports: N/A	Last EDR Contact: 02/09/2015
Number of Days to Update: N/A	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DERR: Division of Emergency & Remedial Response's Database

The DERR listings contains sites from all of Ohio that are in the Division of Environmental Response and Revitalization (DERR) database, which is an index of sites for which our district offices maintain files. The database is NOT a record of contaminated sites or sites suspected of contamination. Not all sites in the database are contaminated, and a site's absence from the database does not imply that it is uncontaminated.

Date of Government Version: 12/15/2014	Source: Ohio EPA
Date Data Arrived at EDR: 12/15/2014	Telephone: 614-644-3538
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 03/09/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Semi-Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Licensed Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/17/2014	Source: Ohio Environmental Protection Agency
Date Data Arrived at EDR: 01/16/2015	Telephone: 614-644-2621
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/12/2015
Number of Days to Update: 24	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank File

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 02/15/2015	Source: Department of Commerce
Date Data Arrived at EDR: 02/18/2015	Telephone: 614-752-8200
Date Made Active in Reports: 02/23/2015	Last EDR Contact: 02/18/2015
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Quarterly

UNREG LTANKS: Ohio Leaking UST File

A suspected or confirmed release of petroleum from a non-regulated UST.

Date of Government Version: 08/25/1999	Source: Department of Commerce
Date Data Arrived at EDR: 08/19/2003	Telephone: 614-752-7938
Date Made Active in Reports: 08/26/2003	Last EDR Contact: 08/01/2003
Number of Days to Update: 7	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013	Source: EPA Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/30/2015
Number of Days to Update: 184	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/30/2014
Date Data Arrived at EDR: 08/12/2014
Date Made Active in Reports: 08/22/2014
Number of Days to Update: 10

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/06/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 19

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 11/14/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 87

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/08/2015
Date Data Arrived at EDR: 01/08/2015
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 01/08/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/04/2014
Date Data Arrived at EDR: 11/07/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 10

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 09/23/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 65

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 01/30/2015
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 32

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

State and tribal registered storage tank lists

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST: Underground Storage Tank File

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 02/15/2015	Source: Department of Commerce
Date Data Arrived at EDR: 02/18/2015	Telephone: 614-752-8200
Date Made Active in Reports: 02/23/2015	Last EDR Contact: 02/18/2015
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Quarterly

AST: Above Ground Storage Tanks

A listing of aboveground storage tank site locations in the state.

Date of Government Version: 02/09/2015	Source: Department of Commerce
Date Data Arrived at EDR: 02/11/2015	Telephone: 614-752-7037
Date Made Active in Reports: 02/23/2015	Last EDR Contact: 02/09/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/10/2014	Source: EPA Region 10
Date Data Arrived at EDR: 11/14/2014	Telephone: 206-553-2857
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/26/2015
Number of Days to Update: 87	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/04/2014	Source: EPA Region 8
Date Data Arrived at EDR: 11/07/2014	Telephone: 303-312-6137
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014	Source: EPA Region 7
Date Data Arrived at EDR: 11/25/2014	Telephone: 913-551-7003
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 01/26/2015
Number of Days to Update: 65	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/01/2013	Source: EPA, Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 01/27/2014	Last EDR Contact: 01/30/2015
Number of Days to Update: 271	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/06/2014	Source: EPA Region 6
Date Data Arrived at EDR: 10/29/2014	Telephone: 214-665-7591
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 8	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/03/2014	Source: EPA Region 5
Date Data Arrived at EDR: 11/05/2014	Telephone: 312-886-6136
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 07/30/2014	Source: EPA Region 4
Date Data Arrived at EDR: 08/12/2014	Telephone: 404-562-9424
Date Made Active in Reports: 08/22/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 11/13/2014	Source: EPA Region 9
Date Data Arrived at EDR: 11/18/2014	Telephone: 415-972-3368
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/26/2015
Number of Days to Update: 83	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/12/2015
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Sites with Engineering Controls

A database that tracks properties with engineering controls.

Date of Government Version: 12/15/2014	Source: Ohio EPA
Date Data Arrived at EDR: 12/15/2014	Telephone: 614-644-2306
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 03/09/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INST CONTROL: Sites with Institutional Engineering Controls

A database that tracks properties with institutional controls.

Date of Government Version: 12/15/2014	Source: Ohio Environmental Protection Agency
Date Data Arrived at EDR: 12/15/2014	Telephone: 614-644-2306
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 03/09/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Semi-Annually

HIST INST CONTROLS: Institutional Controls Database

"Institutional control" is a restriction that is recorded in the same manner as a deed which limits access to or use of the property such that exposure to hazardous substances or petroleum are effectively and reliably eliminated or mitigated. Examples of institutional controls include land and water use restrictions. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/06/2006	Telephone: 614-644-2306
Date Made Active in Reports: 05/04/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

HIST ENG CONTROLS: Operation & Maintenance Agreements Database

Volunteers that complete a voluntary action that relies on the ongoing operation and maintenance (O&M) of an engineered control to make the site protective (e.g. cap systems and ground water treatment systems) must enter into a legally binding agreement with the Ohio EPA before the director issues a covenant not to sue. This O&M Agreement must describe how the remedy is constructed and how it will be monitored, maintained and repaired. It also lays out inspection opportunities for the agency. Companies must document that they have the financial capability to operate any remedy relied on, before the agency will agree to enter into the O&M Agreement. The statute requires that the agency be notified of any change in ownership. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/04/2006	Telephone: 614-644-2306
Date Made Active in Reports: 05/04/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 30	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/29/2014	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2014	Telephone: 617-918-1102
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/31/2014
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

VCP: Voluntary Action Program Sites

Site involved in the Voluntary Action Program.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/15/2014
Date Data Arrived at EDR: 12/15/2014
Date Made Active in Reports: 12/31/2014
Number of Days to Update: 16

Source: Ohio EPA, Voluntary Action Program
Telephone: 614-728-1298
Last EDR Contact: 03/09/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Semi-Annually

State and tribal Brownfields sites

BROWNFIELDS: Ohio Brownfield Inventory

A statewide brownfields inventory. A brownfield is an abandoned, idled or under-used industrial or commercial property where expansion or redevelopment is complicated by known or potential releases of hazardous substances and/or petroleum.

Date of Government Version: 12/15/2014
Date Data Arrived at EDR: 12/17/2014
Date Made Active in Reports: 12/31/2014
Number of Days to Update: 14

Source: Ohio EPA
Telephone: 614-644-3748
Last EDR Contact: 12/17/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/22/2014
Date Data Arrived at EDR: 12/22/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 38

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 12/22/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SWRCY: Recycling Facility Listing

A listing of recycling facility locations.

Date of Government Version: 10/09/2014
Date Data Arrived at EDR: 10/10/2014
Date Made Active in Reports: 11/04/2014
Number of Days to Update: 25

Source: Ohio EPA
Telephone: 614-728-5357
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Varies

HIST LF: Old Solid Waste Landfill

A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s

Date of Government Version: 01/01/1980
Date Data Arrived at EDR: 07/01/2003
Date Made Active in Reports: 07/17/2003
Number of Days to Update: 16

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 06/26/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 02/02/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 12/01/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 70

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/03/2015
Next Scheduled EDR Contact: 06/15/2015
Data Release Frequency: Quarterly

CDL: Clandestine Drug Lab Locations

A list of clandestine drug lab sites with environmental impact. This list is extracted from the SPILLS database based on the "product" type.

Date of Government Version: 01/01/2015
Date Data Arrived at EDR: 01/27/2015
Date Made Active in Reports: 03/04/2015
Number of Days to Update: 36

Source: Ohio EPA
Telephone: 614-644-2080
Last EDR Contact: 01/27/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 12/01/2014
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 70

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/03/2015
Next Scheduled EDR Contact: 06/15/2015
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

ARCHIVE UST: Archived Underground Storage Tank Sites

Underground storage tank records that have been removed from the Underground Storage Tank database.

Date of Government Version: 02/15/2015
Date Data Arrived at EDR: 02/18/2015
Date Made Active in Reports: 02/23/2015
Number of Days to Update: 5

Source: Department of Commerce, Division of State Fire Marshal
Telephone: 614-752-7938
Last EDR Contact: 02/18/2015
Next Scheduled EDR Contact: 06/01/2015
Data Release Frequency: Quarterly

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014
Date Data Arrived at EDR: 03/18/2014
Date Made Active in Reports: 04/24/2014
Number of Days to Update: 37

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 01/30/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/29/2014
Date Data Arrived at EDR: 12/30/2014
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 69

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 12/30/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

SPILLS: Emergency Response Database

Incidents reported to the Emergency Response Unit. The focus of the ER program is to minimize the impact on the environment from accidental releases, spills, and unauthorized discharges from any fixed or mobile sources. Incidents involving petroleum products, hazardous materials, hazardous waste, abandoned drums, or other materials which may pose as a pollution threat to the state's water, land, or air should be reported immediately. Not all incidents included in the database are actual SPILLS, they can simply be reported incidents.

Date of Government Version: 01/01/2015
Date Data Arrived at EDR: 01/27/2015
Date Made Active in Reports: 03/04/2015
Number of Days to Update: 36

Source: Ohio EPA
Telephone: 614-644-2084
Last EDR Contact: 01/27/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/24/2004
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/01/2013
Number of Days to Update: 57

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/13/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 55

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/29/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 02/03/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/15/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 06/06/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 8

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 12/12/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 01/23/2015	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 02/13/2015	Telephone: Varies
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 12/24/2014
Number of Days to Update: 24	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013	Source: EPA
Date Data Arrived at EDR: 12/12/2013	Telephone: 703-416-0223
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 03/10/2015
Number of Days to Update: 74	Next Scheduled EDR Contact: 06/22/2015
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/27/2015
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 12/30/2014	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 12/31/2014	Telephone: 303-231-5959
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 03/06/2015
Number of Days to Update: 29	Next Scheduled EDR Contact: 06/15/2015
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011	Source: EPA
Date Data Arrived at EDR: 07/31/2013	Telephone: 202-566-0250
Date Made Active in Reports: 09/13/2013	Last EDR Contact: 01/29/2015
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/08/2015
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012	Source: EPA
Date Data Arrived at EDR: 01/15/2015	Telephone: 202-260-5521
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 12/22/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Every 4 Years

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 02/23/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 02/23/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/06/2015	Telephone: 202-564-5088
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 01/09/2015
Number of Days to Update: 31	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014	Source: EPA
Date Data Arrived at EDR: 10/15/2014	Telephone: 202-566-0500
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/16/2015
Number of Days to Update: 33	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 12/29/2014	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 01/08/2015	Telephone: 301-415-7169
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 03/09/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 06/22/2015
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/07/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/08/2014	Telephone: 202-343-9775
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/27/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 08/16/2014	Source: EPA
Date Data Arrived at EDR: 09/10/2014	Telephone: (312) 353-2000
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 03/09/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/22/2015
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2014
Date Data Arrived at EDR: 08/12/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 02/26/2013
Date Made Active in Reports: 04/19/2013
Number of Days to Update: 52

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/24/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Biennially

TOWNGAS: DERR Towngas Database

The database includes 82 very old sites (circa 1895) which produced gas from coal for street lighting. Most visual evidence of these sites has disappeared, however the potential for buried coal tar remains. The database is no longer in active use.

Date of Government Version: 07/28/1992
Date Data Arrived at EDR: 02/21/2003
Date Made Active in Reports: 03/05/2003
Number of Days to Update: 12

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 02/12/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UIC: Underground Injection Wells Listing

A listing of underground injection well locations.

Date of Government Version: 10/08/2014
Date Data Arrived at EDR: 11/12/2014
Date Made Active in Reports: 12/31/2014
Number of Days to Update: 49

Source: Ohio EPA
Telephone: 614-644-2752
Last EDR Contact: 02/12/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing

A listing of drycleaner facility locations.

Date of Government Version: 01/26/2015
Date Data Arrived at EDR: 01/27/2015
Date Made Active in Reports: 02/23/2015
Number of Days to Update: 27

Source: Ohio EPA
Telephone: 614-644-3469
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPDES: NPDES General Permit List

General information regarding NPDES (National Pollutant Discharge Elimination System) permits.

Date of Government Version: 02/10/2015	Source: Ohio EPA
Date Data Arrived at EDR: 02/12/2015	Telephone: 614-644-2031
Date Made Active in Reports: 02/25/2015	Last EDR Contact: 02/12/2015
Number of Days to Update: 13	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Semi-Annually

AIRS: Title V Permits Listing

A listing of Title V Permits issued by the Division of Air Pollution Control. It is a federal operating permit program adopted and implemented by the state. The basic program elements typically specify that major sources will submit an operating application to the specified state environmental regulatory agency according to a schedule.

Date of Government Version: 01/05/2015	Source: Ohio EPA
Date Data Arrived at EDR: 01/06/2015	Telephone: 614-644-2270
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 01/05/2015
Number of Days to Update: 34	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Varies

USD: Urban Setting Designation Sites

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined.

Date of Government Version: 12/15/2014	Source: Ohio EPA
Date Data Arrived at EDR: 12/15/2014	Telephone: 614-644-3749
Date Made Active in Reports: 01/13/2015	Last EDR Contact: 03/09/2015
Number of Days to Update: 29	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Varies

HIST USD: Urban Setting Designations Database

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/25/2006	Telephone: 614-644-3749
Date Made Active in Reports: 05/11/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 16	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2015
Number of Days to Update: 34	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2011	Telephone: 615-532-8599
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 02/18/2015
Number of Days to Update: 54	Next Scheduled EDR Contact: 06/01/2015
	Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/13/2015
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 02/09/2015
Number of Days to Update: 88	Next Scheduled EDR Contact: 05/25/2015
	Data Release Frequency: Quarterly

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 02/07/2012	Source: Ohio EPA
Date Data Arrived at EDR: 02/17/2012	Telephone: 614-644-2134
Date Made Active in Reports: 03/28/2012	Last EDR Contact: 01/12/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 01/15/2015
Number of Days to Update: 76	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

CRO: Cessation of Regulated Operations Facility Listing

"Cessation of Regulated Operations" means the discontinuation or termination of regulated operations or the finalizing of any transaction or proceeding through which those operations are discontinued. "Regulated Operations" means the production, use, storage or handling of regulated substances.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/24/2014
Date Data Arrived at EDR: 11/14/2014
Date Made Active in Reports: 12/31/2014
Number of Days to Update: 47

Source: Ohio EPA
Telephone: 614-644-3065
Last EDR Contact: 02/13/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/30/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 12/12/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Varies

Financial Assurance: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 01/12/2015
Date Data Arrived at EDR: 01/16/2015
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 24

Source: Ohio EPA
Telephone: 614-644-2955
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 11/19/2014
Date Data Arrived at EDR: 11/21/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 02/16/2015
Next Scheduled EDR Contact: 06/01/2015
Data Release Frequency: Quarterly

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/16/2014
Date Data Arrived at EDR: 10/31/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 17

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 02/06/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/16/2014
Date Data Arrived at EDR: 10/31/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 17

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 02/06/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/13/2015
Next Scheduled EDR Contact: 05/25/2015
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/15/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: N/A

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Commerce in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/20/2013
Number of Days to Update: 172

Source: Department of Commerce
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Ohio Environmental Protection Agency in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Ohio Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/17/2014
Next Scheduled EDR Contact: 03/02/2015
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2015
Date Data Arrived at EDR: 02/04/2015
Date Made Active in Reports: 02/27/2015
Number of Days to Update: 23

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 02/04/2015
Next Scheduled EDR Contact: 05/18/2015
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/21/2014
Date Made Active in Reports: 08/25/2014
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/15/2014
Date Made Active in Reports: 08/13/2014
Number of Days to Update: 29

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/23/2015
Next Scheduled EDR Contact: 06/08/2015
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/22/2014
Date Data Arrived at EDR: 02/06/2015
Date Made Active in Reports: 02/27/2015
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013

Date Data Arrived at EDR: 06/20/2014

Date Made Active in Reports: 08/07/2014

Number of Days to Update: 48

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 12/12/2014

Next Scheduled EDR Contact: 03/30/2015

Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Day Care Facilities

Source: Department of Job & Family Services

Telephone: 614-466-6282

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 614-265-1044

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

FURNITURE DEPOT FACILITY
333 LINCOLN AVE
LANCASTER, OH 43130

TARGET PROPERTY COORDINATES

Latitude (North):	39.7137 - 39° 42' 49.32"
Longitude (West):	82.6076 - 82° 36' 27.36"
Universal Transverse Mercator:	Zone 17
UTM X (Meters):	362197.4
UTM Y (Meters):	4397007.5
Elevation:	824 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	39082-F5 LANCASTER, OH
Most Recent Revision:	1985
West Map:	39082-F6 AMANDA, OH
Most Recent Revision:	1985

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
FAIRFIELD, OH

FEMA Flood
Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 3901610005D - FEMA Q3 Flood data

Additional Panels in search area: 3901610003D - FEMA Q3 Flood data
3901580115D - FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
NOT AVAILABLE

NWI Electronic
Data Coverage
YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u> <u>FROM TP</u>	<u>GENERAL DIRECTION</u> <u>GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Paleozoic
System:	Mississippian
Series:	Mississippian
Code:	M (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 4230905.2s



- ★ Target Property
- ∕ SSURGO Soil
- ∕ Water

0 1/16 1/8 1/4 Miles



SITE NAME: Furniture Depot Facility
ADDRESS: 333 Lincoln Ave
Lancaster OH 43130
LAT/LONG: 39.7137 / 82.6076

CLIENT: Bennett & Williams
CONTACT: Glen Hackett
INQUIRY #: 4230905.2s
DATE: March 11, 2015 12:51 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 46 inches

No Layer Information available.

Soil Map ID: 2

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 3

Soil Component Name: Aetna

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 46 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 4.23	Max: 7.3 Min: 6.1
2	7 inches	22 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 4.23	Max: 7.8 Min: 5.8
3	62 inches	79 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 4.23	Max: 7.8 Min: 6.1
4	22 inches	62 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 4.23	Max: 7.8 Min: 6.1

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
C45	USGS40000953291	1/8 - 1/4 Mile North

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
C46	OH2301012	1/8 - 1/4 Mile North

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	OHDM10000011757	0 - 1/8 Mile NW
A2	OHDM10000011758	0 - 1/8 Mile NW
A3	OHD700000438798	0 - 1/8 Mile NW
4	OHD700000125201	0 - 1/8 Mile South
B5	OHDM10000011745	0 - 1/8 Mile East
B6	OHDM10000011744	0 - 1/8 Mile East
B7	OHD700000414452	0 - 1/8 Mile East
B8	OHDM10000011746	0 - 1/8 Mile East
B9	OHDM10000011739	0 - 1/8 Mile ESE
B10	OHDM10000011738	0 - 1/8 Mile ESE
B11	OHD700000413830	0 - 1/8 Mile ESE
B12	OHDM10000011740	0 - 1/8 Mile ESE
C13	OHPWS6000001259	0 - 1/8 Mile North
B14	OHDM10000011736	0 - 1/8 Mile SE
B15	OHDM10000011735	0 - 1/8 Mile SE
B16	OHD700000413069	0 - 1/8 Mile SE
B17	OHDM10000011737	0 - 1/8 Mile SE
B18	OHDM10000011742	0 - 1/8 Mile ESE
B19	OHDM10000011741	0 - 1/8 Mile ESE
B20	OHD700000413070	0 - 1/8 Mile ESE
B21	OHDM10000011743	0 - 1/8 Mile ESE
C22	OHPWS6000001261	0 - 1/8 Mile North
C23	OHD700000020435	0 - 1/8 Mile North
C24	OHD700000020434	1/8 - 1/4 Mile North
D25	OHDM10000011764	1/8 - 1/4 Mile WNW
D26	OHDM10000011765	1/8 - 1/4 Mile WNW
D27	OHD700000438797	1/8 - 1/4 Mile WNW
C28	OHWT30000000458	1/8 - 1/4 Mile North
C29	OHD700000014819	1/8 - 1/4 Mile NNE
C30	OHD700000014820	1/8 - 1/4 Mile NNE
C31	OHD700000014821	1/8 - 1/4 Mile NNE
C32	OHD700000014293	1/8 - 1/4 Mile NNE
C33	OHD700000014817	1/8 - 1/4 Mile NNE
C34	OHD700000014818	1/8 - 1/4 Mile NNE
C35	OHD700000015580	1/8 - 1/4 Mile NNE
C36	OHD700000015581	1/8 - 1/4 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
C37	OHD700000015582	1/8 - 1/4 Mile NNE
C38	OHD700000014822	1/8 - 1/4 Mile NNE
C39	OHD700000014823	1/8 - 1/4 Mile NNE
C40	OHD700000014824	1/8 - 1/4 Mile NNE
E41	OHDM10000011733	1/8 - 1/4 Mile ESE
E42	OHDM10000011732	1/8 - 1/4 Mile ESE
E43	OHD700000413831	1/8 - 1/4 Mile ESE
E44	OHDM10000011734	1/8 - 1/4 Mile ESE
D47	OHPWS6000001265	1/8 - 1/4 Mile NNW
C48	OHPWS6000001264	1/8 - 1/4 Mile NNW
F49	OHPWS6000001260	1/8 - 1/4 Mile NNW
E50	OHD700000018515	1/8 - 1/4 Mile SE
F51	OHD700000020433	1/8 - 1/4 Mile North
52	OHD700000020437	1/8 - 1/4 Mile SW
F53	OHPWS6000001256	1/8 - 1/4 Mile North
F54	OHD700000014294	1/8 - 1/4 Mile NNW
F55	OHPWS6000001266	1/8 - 1/4 Mile NNW
G56	OHPWS6000001255	1/4 - 1/2 Mile NNW
G57	OHD700000020432	1/4 - 1/2 Mile North
G58	OHPWS6000001257	1/4 - 1/2 Mile North
G59	OHPWS6000001262	1/4 - 1/2 Mile North
60	OHD700000089566	1/4 - 1/2 Mile SE
G61	OHPWS6000001267	1/4 - 1/2 Mile NNW
G62	OHD700000020431	1/4 - 1/2 Mile North
63	OHD700000014715	1/4 - 1/2 Mile WSW
H64	OHPWS6000001254	1/4 - 1/2 Mile North
H65	OHPWS6000001253	1/4 - 1/2 Mile North
H66	OHD700000020430	1/4 - 1/2 Mile North
67	OHD700000090820	1/4 - 1/2 Mile ENE
I68	OHDM10000012014	1/4 - 1/2 Mile North
I69	OHDM10000012015	1/4 - 1/2 Mile North
I70	OHD700000423852	1/4 - 1/2 Mile North
H71	OHD700000020429	1/4 - 1/2 Mile North
H72	OHPWS6000001252	1/4 - 1/2 Mile North
73	OHD700000020428	1/4 - 1/2 Mile North
74	OHD700000016312	1/4 - 1/2 Mile NE
J75	OHD700000111820	1/4 - 1/2 Mile North
J76	OHD700000111821	1/4 - 1/2 Mile North
J77	OHD700000014812	1/4 - 1/2 Mile North
J78	OHD700000014813	1/4 - 1/2 Mile North
K79	OHD700000020772	1/4 - 1/2 Mile West
L80	OHDM10000012006	1/4 - 1/2 Mile NE
L81	OHDM10000012007	1/4 - 1/2 Mile NE
L82	OHDM10000012004	1/4 - 1/2 Mile NE
L83	OHDM10000012005	1/4 - 1/2 Mile NE
L84	OHDM10000012008	1/4 - 1/2 Mile NE
L85	OHD700000413366	1/4 - 1/2 Mile NE
L86	OHD700000413367	1/4 - 1/2 Mile NE
L87	OHDM10000012009	1/4 - 1/2 Mile NE
L88	OHD700000413365	1/4 - 1/2 Mile NE
K89	OHD700000036561	1/2 - 1 Mile West
90	OHD700000016703	1/2 - 1 Mile West

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
M91	OHD700000081409	1/2 - 1 Mile East
M92	OHD700000081410	1/2 - 1 Mile East
N93	OHDM10000011578	1/2 - 1 Mile SSW
N94	OHDM10000011579	1/2 - 1 Mile SSW
N95	OHD700000427016	1/2 - 1 Mile SSW
O96	OHDM10000012135	1/2 - 1 Mile NE
O97	OHDM10000012134	1/2 - 1 Mile NE
O98	OHDM10000012133	1/2 - 1 Mile NE
O99	OHDM10000012136	1/2 - 1 Mile NE
O100	OHD700000417868	1/2 - 1 Mile NE
O101	OHD700000415236	1/2 - 1 Mile NE
O102	OHDM10000012137	1/2 - 1 Mile NE
103	OHD700000020436	1/2 - 1 Mile WNW
104	OHD700000090815	1/2 - 1 Mile ENE
105	OHD700000093562	1/2 - 1 Mile SSE
106	OHD700000020427	1/2 - 1 Mile WNW
107	OHD700000016701	1/2 - 1 Mile West
108	OHD700000112135	1/2 - 1 Mile SSW
P109	OHD700000018035	1/2 - 1 Mile NNW
P110	OHD700000014814	1/2 - 1 Mile NNW
P111	OHD700000014815	1/2 - 1 Mile NNW
P112	OHD700000014716	1/2 - 1 Mile NNW
P113	OHD700000014717	1/2 - 1 Mile NNW
P114	OHD700000015578	1/2 - 1 Mile NNW
P115	OHD700000015579	1/2 - 1 Mile NNW
P116	OHD700000014816	1/2 - 1 Mile NNW
P117	OHD700000015577	1/2 - 1 Mile NNW
Q118	OHD700000087691	1/2 - 1 Mile North
Q119	OHD700000087689	1/2 - 1 Mile North
Q120	OHD700000087688	1/2 - 1 Mile North
Q121	OHD700000087883	1/2 - 1 Mile North
Q122	OHD700000087889	1/2 - 1 Mile North
Q123	OHD700000087887	1/2 - 1 Mile North
Q124	OHD700000087885	1/2 - 1 Mile North
Q125	OHD700000112225	1/2 - 1 Mile North
Q126	OHD700000112226	1/2 - 1 Mile North
Q127	OHD700000112223	1/2 - 1 Mile North
Q128	OHD700000112224	1/2 - 1 Mile North
Q129	OHD700000112227	1/2 - 1 Mile North
Q130	OHD700000115537	1/2 - 1 Mile North
Q131	OHD700000115771	1/2 - 1 Mile North
Q132	OHD700000112228	1/2 - 1 Mile North
Q133	OHD700000112229	1/2 - 1 Mile North
P134	OHD700000141724	1/2 - 1 Mile North
Q135	OHDM10000012405	1/2 - 1 Mile North
Q136	OHDM10000012406	1/2 - 1 Mile North
Q137	OHDM10000012403	1/2 - 1 Mile North
Q138	OHDM10000012404	1/2 - 1 Mile North
Q139	OHDM10000012409	1/2 - 1 Mile North
Q140	OHDM10000012410	1/2 - 1 Mile North
Q141	OHDM10000012407	1/2 - 1 Mile North
Q142	OHDM10000012408	1/2 - 1 Mile North

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
Q143	OHD700000338336	1/2 - 1 Mile North
R144	OHD700000125953	1/2 - 1 Mile NE
Q145	OHDM10000012413	1/2 - 1 Mile North
Q146	OHDM10000012414	1/2 - 1 Mile North
Q147	OHDM10000012411	1/2 - 1 Mile North
Q148	OHDM10000012412	1/2 - 1 Mile North
Q149	OHDM10000012417	1/2 - 1 Mile North
Q150	OHDM10000012418	1/2 - 1 Mile North
Q151	OHDM10000012415	1/2 - 1 Mile North
Q152	OHDM10000012416	1/2 - 1 Mile North
Q153	OHD700000338335	1/2 - 1 Mile North
P154	OHD700000142981	1/2 - 1 Mile North
155	OHD700000020441	1/2 - 1 Mile SSW
Q156	OHDM10000012425	1/2 - 1 Mile North
Q157	OHDM10000012424	1/2 - 1 Mile North
Q158	OHDM10000012423	1/2 - 1 Mile North
Q159	OHDM10000012426	1/2 - 1 Mile North
Q160	OHD700000431838	1/2 - 1 Mile North
Q161	OHDM10000012428	1/2 - 1 Mile North
Q162	OHDM10000012427	1/2 - 1 Mile North
Q163	OHD700000014453	1/2 - 1 Mile North
Q164	OHD700000014454	1/2 - 1 Mile North
Q165	OHD700000014455	1/2 - 1 Mile North
Q166	OHDM10000012431	1/2 - 1 Mile North
Q167	OHDM10000012430	1/2 - 1 Mile North
Q168	OHDM10000012429	1/2 - 1 Mile North
Q169	OHDM10000012434	1/2 - 1 Mile North
Q170	OHD700000431839	1/2 - 1 Mile North
Q171	OHDM10000012432	1/2 - 1 Mile North
Q172	OHDM10000012433	1/2 - 1 Mile North
Q173	OHDM10000012438	1/2 - 1 Mile North
Q174	OHDM10000012439	1/2 - 1 Mile North
Q175	OHDM10000012437	1/2 - 1 Mile North
Q176	OHDM10000012435	1/2 - 1 Mile North
Q177	OHDM10000012436	1/2 - 1 Mile North
Q178	OHDM10000012440	1/2 - 1 Mile North
Q179	OHDM10000012444	1/2 - 1 Mile North
Q180	OHD700000434378	1/2 - 1 Mile North
Q181	OHDM10000012443	1/2 - 1 Mile North
Q182	OHDM10000012441	1/2 - 1 Mile North
Q183	OHDM10000012442	1/2 - 1 Mile North
Q184	OHD700000142982	1/2 - 1 Mile North
R185	OHD700000089118	1/2 - 1 Mile NE
R186	OHD700000116140	1/2 - 1 Mile NE
187	OHD700000096464	1/2 - 1 Mile ENE
Q188	OHDM10000012460	1/2 - 1 Mile North
Q189	OHDM10000012459	1/2 - 1 Mile North
Q190	OHDM10000012458	1/2 - 1 Mile North
Q191	OHDM10000012461	1/2 - 1 Mile North
Q192	OHD700000434379	1/2 - 1 Mile North
Q193	OHDM10000012463	1/2 - 1 Mile North
Q194	OHDM10000012462	1/2 - 1 Mile North

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
S195	OHD700000018050	1/2 - 1 Mile North
S196	OHD700000142423	1/2 - 1 Mile North
S197	OHD700000018049	1/2 - 1 Mile North
Q198	OHDM10000012472	1/2 - 1 Mile North
Q199	OHDM10000012479	1/2 - 1 Mile North
Q200	OHDM10000012478	1/2 - 1 Mile North
Q201	OHD700000430608	1/2 - 1 Mile North
Q202	OHDM10000012480	1/2 - 1 Mile North
Q203	OHDM10000012477	1/2 - 1 Mile North
Q204	OHDM10000012474	1/2 - 1 Mile North
Q205	OHDM10000012473	1/2 - 1 Mile North
Q206	OHDM10000012476	1/2 - 1 Mile North
Q207	OHDM10000012475	1/2 - 1 Mile North
S208	OHDM10000012470	1/2 - 1 Mile North
S209	OHDM10000012469	1/2 - 1 Mile North
S210	OHD700000434380	1/2 - 1 Mile North
S211	OHDM10000012471	1/2 - 1 Mile North
S212	OHDM10000012468	1/2 - 1 Mile North
S213	OHDM10000012465	1/2 - 1 Mile North
S214	OHDM10000012464	1/2 - 1 Mile North
S215	OHDM10000012467	1/2 - 1 Mile North
S216	OHDM10000012466	1/2 - 1 Mile North
T217	OHD700000015915	1/2 - 1 Mile SE
T218	OHD700000015916	1/2 - 1 Mile SE
S219	OHDM10000012498	1/2 - 1 Mile North
S220	OHDM10000012499	1/2 - 1 Mile North
S221	OHDM10000012497	1/2 - 1 Mile North
S222	OHDM10000012495	1/2 - 1 Mile North
S223	OHDM10000012496	1/2 - 1 Mile North
S224	OHDM10000012503	1/2 - 1 Mile North
S225	OHD700000418572	1/2 - 1 Mile North
S226	OHDM10000012502	1/2 - 1 Mile North
S227	OHDM10000012500	1/2 - 1 Mile North
S228	OHDM10000012501	1/2 - 1 Mile North
229	OHD700000118235	1/2 - 1 Mile NW
U230	OHD700000089323	1/2 - 1 Mile NE
U231	OHD700000091678	1/2 - 1 Mile NE
232	OHD700000015448	1/2 - 1 Mile WSW

PHYSICAL SETTING SOURCE MAP - 4230905.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location

SITE NAME: Furniture Depot Facility
 ADDRESS: 333 Lincoln Ave
 Lancaster OH 43130
 LAT/LONG: 39.7137 / 82.6076

CLIENT: Bennett & Williams
 CONTACT: Glen Hackett
 INQUIRY #: 4230905.2s
 DATE: March 11, 2015 12:51 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

A1
NW
0 - 1/8 Mile
Higher

OH WELLS

OHDM10000011757

Well log n:	1009182	U version:	Not Reported
Well type :	W		
End user i:	2929		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD COUNTY
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	342		
St name:	WHEELING	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.714244		
Longitude:	-82.608106		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	5		
Total dept:	10		
Date of co:	20-MAR-14	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	09-JUL-14	Changed by:	NRDNR/BROWNC

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011757		

**A2
NW
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000011758

Well log n:	1009182		
Well type :	W	U version:	Not Reported
End user i:	2929		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD COUNTY
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	342	St type co:	AVE
St name:	WHEELING		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.714244		
Longitude:	-82.608106		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	5			
Total dept:	10			
Date of co:	20-MAR-14	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Comments:	Not Reported			
Well seal :	0			
Date added:	30-DEC-99	Added by:		Not Reported
Date chang:	09-JUL-14	Changed by:		NRDNR\BROWNC
Screen slo:	.01			
Screened i:	5			
Screened 1:	10			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	2			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHDM10000011758			

A3
NW
0 - 1/8 Mile
Higher

OH WELLS OHD700000438798

Well log n:	1009182			
Well type :	WATER WELL	U version:		Not Reported
End user i:	2929			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		FAIRFIELD COUNTY
Drill type:	AUGER	Test type :		Not Reported
Well use c:	MONITOR	Aquifer ty:		SILT
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	Not Reported			
St no:	342			
St name:	WHEELING	St type co:		AVE
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	0			
Horiz y:	0			
Horiz datu:	NAD83			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	0			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.714244		
Longitude:	-82.608106		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	5		
Total dept:	10		
Date of co:	20140320	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20140709	Changed by:	NRDNR\BROWNC
Screen slo:	.01		
Screened i:	5		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000438798		

4 South 0 - 1/8 Mile Lower

OH WELLS OHD700000125201

Well log n:	961937		
Well type :	WATER WELL	U version:	Not Reported
End user i:	642		
Cnty code:	45	Twp code:	1110
Orig owner:	TRACY	Orig own 1:	KRANER
Drill type:	CABLE TOOL	Test type :	B
Well use c:	AGRIC/IRRIG	Aquifer ty:	SANDSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	4		
St dir cod:	Not Reported		
St no:	145		
St name:	WHLV	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938168.06		
Horiz y:	623810.05		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	818		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71268		
Longitude:	-82.60782		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	20		
Draw down:	10		
Draw down :	1		
S water le:	30		
S water me:	T	S water 1:	20041020
Cas ht:	1.5		
Screen len:	0		
Total dept:	105		
Date of co:	20041020	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20050208	Added by:	LESLIE WALKER
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	20		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000125201		

B5
East
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011745

Well log n:	2025823		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938652.42		
Horiz y:	624228.37		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713833		
Longitude:	-82.6061		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011745		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

B6
East
0 - 1/8 Mile
Higher

OH WELLS

OHDM10000011744

Well log n:	2025823	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938652.42		
Horiz y:	624228.37		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713833		
Longitude:	-82.6061		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011744		

**B7
East
0 - 1/8 Mile
Higher**

OH WELLS OHD700000414452

Well log n:	2025823		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well Loc:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938652.42		
Horiz y:	624228.37		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713833		
Longitude:	-82.6061		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20091116
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10			
Total dept:	24			
Date of co:	20091116	Located in:		Not Reported
Assoc rpt :	N			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	.01			
Screened i:	24			
Screened 1:	14			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	2			
Screen typ:	MACHINE SLOTTED	Screen mat:		PVC
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000414452			

B8
East
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011746

Well log n:	2025823			
Well type :	W	U version:		Not Reported
End user i:	4225			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		AUGUST MACK
Drill type:	A	Test type :		Not Reported
Well use c:	M	Aquifer ty:		SND
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	W			
St no:	240			
St name:	MAIN	St type co:		ST
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	Not Reported			
Well loc d:	MW-1			
Zone code:	Not Reported			
Horiz x:	1938652.42			
Horiz y:	624228.37			
Horiz datu:	NAD83			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	832			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.713833		
Longitude:	-82.6061		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011746		

**B9
ESE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000011739

Well log n:	2025824		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-2		
Zone code:	Not Reported		
Horiz x:	1938660.47		
Horiz y:	623896.89		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	834		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.712917		
Longitude:	-82.606067		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011739		

B10
ESE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011738

Well log n:	2025824		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-2		
Zone code:	Not Reported		
Horiz x:	1938660.47		
Horiz y:	623896.89		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	834		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.712917		
Longitude:	-82.606067		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011738		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

B11

ESE

0 - 1/8 Mile

Higher

OH WELLS

OHD700000413830

Well log n:	2025824	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well Loc:	MW-2		
Zone code:	Not Reported		
Horiz x:	1938660.47		
Horiz y:	623896.89		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	834		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.712917		
Longitude:	-82.606067		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20091116
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	20091116	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413830		

B12
ESE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011740

Well log n:	2025824		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-2		
Zone code:	Not Reported		
Horiz x:	1938660.47		
Horiz y:	623896.89		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	834		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.712917		
Longitude:	-82.606067		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011740		

C13
North
0 - 1/8 Mile
Higher

OH WELLS OHPWS6000001259

County:	Fairfield	Pwsid:	OH2301012
Well num:	11612		
Well name:	North Plant Well 015	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.715233		
Longitude:	-82.607464		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001259		

B14
SE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011736

Well log n:	2025825		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-3		
Zone code:	Not Reported		
Horiz x:	1938688.55		
Horiz y:	623853.15		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7128		
Longitude:	-82.605967		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011736		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

B15

SE

0 - 1/8 Mile

Higher

OH WELLS

OHDM10000011735

Well log n:	2025825	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-3		
Zone code:	Not Reported		
Horiz x:	1938688.55		
Horiz y:	623853.15		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7128		
Longitude:	-82.605967		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	24		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011735		

**B16
SE
0 - 1/8 Mile
Higher**

OH WELLS OHD700000413069

Well log n:	2025825		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well Loc:	MW-3		
Zone code:	Not Reported		
Horiz x:	1938688.55		
Horiz y:	623853.15		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7128		
Longitude:	-82.605967		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20091116
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	24		
Date of co:	20091116	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413069		

B17
SE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011737

Well log n:	2025825		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-3		
Zone code:	Not Reported		
Horiz x:	1938688.55		
Horiz y:	623853.15		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7128		
Longitude:	-82.605967		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	16-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	16-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011737		

**B18
ESE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000011742

Well log n:	2025826		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-4		
Zone code:	Not Reported		
Horiz x:	1938764.66		
Horiz y:	623987.83		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713167		
Longitude:	-82.6057		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011742		

B19
ESE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000011741

Well log n:	2025826		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-4		
Zone code:	Not Reported		
Horiz x:	1938764.66		
Horiz y:	623987.83		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713167		
Longitude:	-82.6057		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011741		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

B20
ESE
0 - 1/8 Mile
Higher

OH WELLS

OHD700000413070

Well log n:	2025826	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well Loc:	MW-4		
Zone code:	Not Reported		
Horiz x:	1938764.66		
Horiz y:	623987.83		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713167		
Longitude:	-82.6057		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20091117
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	20091117	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413070		

**B21
ESE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000011743

Well log n:	2025826		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-4		
Zone code:	Not Reported		
Horiz x:	1938764.66		
Horiz y:	623987.83		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	835		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713167		
Longitude:	-82.6057		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011743		

C22 North 0 - 1/8 Mile Higher

OH WELLS OHPWS6000001261

County:	Fairfield	Pwsid:	OH2301012
Well num:	11619		
Well name:	North Plant Well 023	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.715339		
Longitude:	-82.607858		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001261		

C23 North 0 - 1/8 Mile Higher

OH WELLS OHD700000020435

Well log n:	9923001	U version:	"
Well type :	WATER WELL		
End user i:	729		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	GRAVEL AND SAND
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1938157.96		
Horiz y:	624778.97		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	827		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.715339		
Longitude:	-82.607858		
Source of :	Not Reported	Flowing we:	N
Test rate:	600		
Draw down:	0		
Draw down :	1		
S water le:	12		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	93		
Date of co:	19681004	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	19971223	Changed by:	RAABJ
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020435		

C24
North
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000020434

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	362278	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	SAND
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	279		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1938203.09		
Horiz y:	624880.91		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	827		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.715616		
Longitude:	-82.607695		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	100		
Date of co:	19670908	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020434		

D25
WNW
1/8 - 1/4 Mile
Lower

OH WELLS OHDM10000011764

Well log n:	1009181	U version:	Not Reported
Well type :	W		
End user i:	2929		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD COUNTY
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	342	St type co:	AVE
St name:	WHEELING		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.714792		
Longitude:	-82.609724		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	6		
Total dept:	11		
Date of co:	20-MAR-14	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	09-JUL-14	Changed by:	NRDNR\BROWNC

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011764		

D26
WNW
1/8 - 1/4 Mile
Lower

OH WELLS OHDM10000011765

Well log n:	1009181		
Well type :	W	U version:	Not Reported
End user i:	2929		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD COUNTY
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	342	St type co:	AVE
St name:	WHEELING		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.714792		
Longitude:	-82.609724		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	6		
Total dept:	11		
Date of co:	20-MAR-14	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	09-JUL-14	Changed by:	NRDNR\BROWNC
Screen slo:	.01		
Screened i:	5		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011765		

D27
WNW
1/8 - 1/4 Mile
Lower

OH WELLS OHD700000438797

Well log n:	1009181		
Well type :	WATER WELL	U version:	Not Reported
End user i:	2929		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD COUNTY
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	342		
St name:	WHEELING	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	0		
Horiz y:	0		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	0		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.714792		
Longitude:	-82.609724		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	6		
Total dept:	11		
Date of co:	20140320	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20140709	Changed by:	NRDNR\BROWNC
Screen slo:	.01		
Screened i:	5		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000438797		

C28
North
1/8 - 1/4 Mile
Higher

OH WELLS OHWT30000000458

County:	FAIRFIELD	Pwsid:	OH2301012
Wtp num:	2795	Wtp name:	LANCASTER CITY NORTH PLANT
Tp avail:	PERMANENT	Wtr type:	ground water
Wtpdsn cap:	9300000		
Notreat in:	Not Reported	Wtr body n:	MAXCAP: 6369000 MGD; DSGN_CAP: 9300000
Wtp status:	Active	Sys status:	Active
Sys name:	LANCASTER CITY PWS	Sys type:	Community
Src type:	ground water	First name:	MIKE
Last name:	NIXON	Title:	Not Reported
Address1:	225 N MEMORIAL DR		
Address2:	Not Reported		
City:	LANCASTER	State:	OH
Zip:	43130	Phone:	740-687-6631
Emg phone:	740-808-0104		
Latitude:	39.715772		
Longitude:	-82.607106		
Accuracy:	5		
LI colmeth:	GPS CODE MEASUREMENTS (PSEUDO RANGE) DIFFERENTIALLY CORRECTED		
Hdatum:	NAD 27		
Verify met:	VERIFIED RELATIVE TO MAP FEATURES (1:24,000)		
Site id:	OHWT30000000458		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C29

NNE

1/8 - 1/4 Mile

Higher

OH WELLS

OHD700000014819

Well log n:	816582	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	116		
Date of co:	19951013	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014819		

C30
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014820

Well log n:	816581		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GLACIAL TILL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0			
Total dept:	26			
Date of co:	19951012	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	0			
Screened i:	0			
Screened 1:	0			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000014820			

C31
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014821

Well log n:	816580			
Well type :	WATER WELL	U version:		!
End user i:	1407			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		CITY OF LANCASTER
Drill type:	AUGER	Test type :		Not Reported
Well use c:	MONITOR	Aquifer ty:		GLACIAL TILL
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	N			
St no:	225			
St name:	MEMORIAL	St type co:		DR
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	1938411.34			
Horiz y:	624946.23			
Horiz datu:	Not Reported			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	832			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19950928	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014821		

C32
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014293

Well log n:	816589		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	36		
Date of co:	19950926	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	26		
Screened 1:	36		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014293		

C33
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014817

Well log n:	816583		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	21		
Date of co:	19951004	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014817		

C34
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014818

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	816584	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GLACIAL TILL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	86		
Date of co:	18991230	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014818		

C35
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000015580

Well log n:	816587	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	70		
Date of co:	19951010	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	61		
Screened 1:	71		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015580		

C36
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000015581

Well log n:	816588		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10			
Total dept:	40			
Date of co:	19950925	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	.01			
Screened i:	28			
Screened 1:	38			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000015581			

C37
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000015582

Well log n:	816590			
Well type :	WATER WELL	U version:		!
End user i:	1407			
Cnty code:	45	Twp code:		225
Orig owner:	Not Reported	Orig own 1:		CITY OF LANCASTER
Drill type:	AUGER	Test type :		Not Reported
Well use c:	MONITOR	Aquifer ty:		SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	N			
St no:	225			
St name:	MEMORIAL	St type co:		DR
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	1938411.34			
Horiz y:	624946.23			
Horiz datu:	Not Reported			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	832			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	135		
Date of co:	19950928	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	125		
Screened 1:	135		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015582		

**C38
NNE
1/8 - 1/4 Mile
Higher**

OH WELLS OHD700000014822

Well log n:	816579		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	21		
Date of co:	19951003	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014822		

C39
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014823

Well log n:	816585		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	29		
Date of co:	18991230	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014823		

C40
NNE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000014824

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	816586	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GLACIAL TILL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	225		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938411.34		
Horiz y:	624946.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	832		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7158		
Longitude:	-82.60696		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	94		
Date of co:	19951002	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014824		

**E41
ESE
1/8 - 1/4 Mile
Higher**

OH WELLS OHDM10000011733

Well log n:	2025827	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-5		
Zone code:	Not Reported		
Horiz x:	1938938.88		
Horiz y:	623816.43		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	836		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7127		
Longitude:	-82.605083		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011733		

E42
ESE
1/8 - 1/4 Mile
Higher

OH WELLS OHDM10000011732

Well log n:	2025827		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	MW-5		
Zone code:	Not Reported		
Horiz x:	1938938.88		
Horiz y:	623816.43		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	836		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7127		
Longitude:	-82.605083		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011732		

E43
ESE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000413831

Well log n:	2025827		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well Loc:	MW-5		
Zone code:	Not Reported		
Horiz x:	1938938.88		
Horiz y:	623816.43		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	836		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7127		
Longitude:	-82.605083		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20091117
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	20091117	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413831		

E44
ESE
1/8 - 1/4 Mile
Higher

OH WELLS OHDM10000011734

Well log n:	2025827		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	AUGUST MACK
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	240		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-5		
Zone code:	Not Reported		
Horiz x:	1938938.88		
Horiz y:	623816.43		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	836		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7127		
Longitude:	-82.605083		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	17-NOV-09
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	17-NOV-09	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	24		
Screened 1:	14		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011734		

C45
North
1/8 - 1/4 Mile
Lower

FED USGS USGS40000953291

Org. Identifier:	USGS-OH		
Formal name:	USGS Ohio Water Science Center		
Monloc Identifier:	USGS-394257082362900		
Monloc name:	F-6		
Monloc type:	Well		
Monloc desc:	Well presently operated by ODNR		
Huc code:	05030204	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	39.7158976
Longitude:	-82.607941	Sourcemap scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	820.00
Vert measure units:	feet	Vertacc measure val:	10.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Outwash		
Aquifer type:	Unconfined single aquifer		
Construction date:	Not Reported	Welldepth:	108
Welldepth units:	ft	Wellholedepth:	108
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

C46
North
1/8 - 1/4 Mile
Higher

FRDS PWS OH2301012

Epa region:	05	State:	OH
Pwsid:	OH2301012		
Pwsname:	LANCASTER CITY PWS		
City served:	Not Reported	State served:	OH
Zip served:	Not Reported	Fips county:	39045
Status:	Active	Pop srvd:	40400
Pwssvconn:	15260	Source:	Groundwater
Pws type:	CWS	Owner:	Local_Govt
Contact:	NIXON, MIKE		
Contact or gname:	NIXON, MIKE		
Contact phone:	740-687-6664	Contact address1:	800 LAWRENCE ST
Contact address2:	Not Reported	Contact city:	LANCASTER
Contact state:	OH	Contact zip:	43130
Activity code:	A		

Facid:	2794		
Facname:	LANCASTER CITY - SOUTH PLANT		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	corrosion control	Treatment process:	inhibitor, silicate
Treatment obj:	corrosion control	Treatment process:	inhibitor, polyphosphate
Treatment obj:	disinfection	Treatment process:	gaseous chlorination, post
Treatment obj:	inorganics removal	Treatment process:	ph adjustment
Treatment obj:	inorganics removal	Treatment process:	ph adjustment, pre
Treatment obj:	inorganics removal	Treatment process:	aeration, packed tower
Treatment obj:	inorganics removal	Treatment process:	filtration, cartridge
Treatment obj:	iron removal	Treatment process:	permanganate
Treatment obj:	iron removal	Treatment process:	gaseous chlorination, pre
Treatment obj:	iron removal	Treatment process:	filtration, greensand
Treatment obj:	softening (hardness removal)	Treatment process:	reverse osmosis

Facid:	2795		
Facname:	LANCASTER CITY - NORTH PLANT		
Facility type:	Treatment_plant	Activity code:	A
Treatment obj:	corrosion control	Treatment process:	inhibitor, polyphosphate
Treatment obj:	disinfection	Treatment process:	gaseous chlorination, post
Treatment obj:	inorganics removal	Treatment process:	sedimentation
Treatment obj:	inorganics removal	Treatment process:	filtration, rapid sand
Treatment obj:	iron removal	Treatment process:	not reported
Treatment obj:	softening (hardness removal)	Treatment process:	ion exchange

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Location Information:

Name:	LANCASTER CITY PWS	Prmsrccd:	GW
Pwstypcd:	CWS		
Poperved:	40400		
Add1:	800 LAWRENCE ST		
Add2:	Not Reported		
City:	LANCASTER	State:	OH
Zip:	43130	Phone:	740-687-6664
Cityserv:	Not Reported	Cntyserv:	Fairfield
Stateserv:	OH	Zipserv:	Not Reported

Enforcement Information:

Violation id:	1214596	Orig cd:	S
Enf fy:	2007	Enf act date:	04/19/2007
Enf act detail:	St Compliance achieved	Enf act cat:	Resolving

Enforcement Information:

Violation id:	1214496	Orig cd:	S
Enf fy:	2007	Enf act date:	04/19/2007
Enf act detail:	St Compliance achieved	Enf act cat:	Resolving

PWS ID:	OH2301012		
Date Initiated:	Not Reported	Date Deactivated:	Not Reported
PWS Name:	LANCASTER, CITY OF SUPT. DAVE BORNINO 225 NORTH MEMORIAL DRIVE LANCASTER, OH 43130		

Addressee / Facility: Not Reported

Facility Latitude:	39 42 57.0000	Facility Longitude:	82 36 26.0000
City Served:	Not Reported		
Treatment Class:	Treated	Population:	38500

Violations information not reported.

ENFORCEMENT INFORMATION:

System Name:	LANCASTER, CITY OF		
Violation Type:	MCL, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1995-10-01 - 1995-10-31		
Violation ID:	9647005		
Enforcement Date:	1995-10-13	Enf. Action:	State Public Notif Requested
System Name:	LANCASTER, CITY OF		
Violation Type:	MCL, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1995-10-01 - 1995-10-31		
Violation ID:	9647005		
Enforcement Date:	1995-10-18	Enf. Action:	State Public Notif Received
System Name:	LANCASTER, CITY OF		
Violation Type:	MCL, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1995-10-01 - 1995-10-31		
Violation ID:	9647005		
Enforcement Date:	1995-10-13	Enf. Action:	State Violation/Reminder Notice

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

D47
NNW
1/8 - 1/4 Mile
Lower

OH WELLS OHPWS6000001265

County:	Fairfield	Pwsid:	OH2301012
Well num:	11613		
Well name:	North Plant Well 016	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.715647		
Longitude:	-82.609064		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001265		

C48
NNW
1/8 - 1/4 Mile
Lower

OH WELLS OHPWS6000001264

County:	Fairfield	Pwsid:	OH2301012
Well num:	11620		
Well name:	North Plant Well 024	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.715872		
Longitude:	-82.6084		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001264		

F49
NNW
1/8 - 1/4 Mile
Lower

OH WELLS OHPWS6000001260

County:	Fairfield	Pwsid:	OH2301012
Well num:	11611		
Well name:	North Plant Well 004	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.716175		
Longitude:	-82.608739		
Well lst u:	09-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001260		

E50
SE
1/8 - 1/4 Mile
Higher

OH WELLS OHD700000018515

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	9923031	U version:	!
Well type :	WATER WELL		
End user i:	2315		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BAUMAN BROS. MEAT MA
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRAVEL AND SAND
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	2		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	S		
St no:	217		
St name:	COLUMBUS	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939020.17		
Horiz y:	623565		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.712008		
Longitude:	-82.604792		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	30		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	66		
Date of co:	19460702	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000018515		

F51
North
1/8 - 1/4 Mile
Lower

OH WELLS OHD700000020433

Well log n:	362276	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	277		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1938214.81		
Horiz y:	625274.29		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	817		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.716703		
Longitude:	-82.607658		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	80		
Date of co:	19670908	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020433		

**52
SW
1/8 - 1/4 Mile
Lower**

OH WELLS OHD700000020437

Well log n:	296034		
Well type :	WATER WELL	U version:	!
End user i:	1036		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	MCCLELLANS ALL STAR
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	281		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	1		
St dir cod:	Not Reported		
St no:	352		
St name:	LINCOLN	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937323.69		
Horiz y:	623479.61		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	812		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.711766		
Longitude:	-82.610821		
Source of :	Not Reported	Flowing we:	N
Test rate:	80		
Draw down:	1.5		
Draw down :	3		
S water le:	18		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0			
Total dept:	62			
Date of co:	19630328	Located in:	Y	
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:	Not Reported	
Date chang:	18991230	Changed by:	Not Reported	
Screen slo:	0			
Screened i:	0			
Screened 1:	0			
Sustained :	0			
Attatch st:	\\NRAS1\			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:	Not Reported	
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :	Not Reported	
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:	Not Reported	
Site id:	OHD700000020437			

F53
North
1/8 - 1/4 Mile
Lower

OH WELLS OHPWS6000001256

County:	Fairfield	Pwsid:	OH2301012	
Well num:	11618			
Well name:	North Plant Well 022	Sys name:	Lancaster City Pws	
Dnr wl log:	Not Reported	WI avail:	Permanent	
Act date:	15-OCT-99	WI status:	Active	
Sys status:	Active			
Latitude:	39.716928			
Longitude:	-82.6079			
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12	
Site id:	OHPWS6000001256			

F54
NNW
1/8 - 1/4 Mile
Lower

OH WELLS OHD700000014294

Well log n:	37837	U version:	!	
Well type :	WATER WELL			
End user i:	2166			
Cnty code:	45	Twp code:	225	
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER	
Drill type:	Not Reported	Test type :	Not Reported	
Well use c:	Not Reported	Aquifer ty:	SAND	
Loc map ye:	Not Reported	Loc area:	Not Reported	
Loc no:	0			
Sub name:	Not Reported	Sub map ye:	Not Reported	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	LANCASTER BALL PARK	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937809.83		
Horiz y:	625351.27		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	810		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.716913		
Longitude:	-82.609098		
Source of :	Not Reported	Flowing we:	N
Test rate:	600		
Draw down:	7		
Draw down :	8		
S water le:	14		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	130		
Date of co:	19620718	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	WELL 18		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014294		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F55
NNW
1/8 - 1/4 Mile
Lower

OH WELLS OHPWS6000001266

County:	Fairfield	Pwsid:	OH2301012
Well num:	11615		
Well name:	North Plant Well 019	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.716942		
Longitude:	-82.609083		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001266		

G56
NNW
1/4 - 1/2 Mile
Lower

OH WELLS OHPWS6000001255

County:	Fairfield	Pwsid:	OH2301012
Well num:	11614		
Well name:	North Plant Well 018	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.717236		
Longitude:	-82.608678		
Well lst u:	19-JUN-09	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001255		

G57
North
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000020432

Well log n:	362275	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	276		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938018.17		
Horiz y:	625504		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	814		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.717334		
Longitude:	-82.608362		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	115		
Date of co:	19670908	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020432		

G58
North
1/4 - 1/2 Mile
Lower

OH WELLS OHPWS6000001257

County:	Fairfield	Pwsid:	OH2301012
Well num:	11617		
Well name:	North Plant Well 021	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.717533		
Longitude:	-82.608022		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001257		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

G59
North
1/4 - 1/2 Mile
Lower

OH WELLS OHPWS6000001262

County:	Fairfield	Pwsid:	OH2301012
Well num:	11621		
Well name:	North Plant Well 025	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.717758		
Longitude:	-82.607494		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001262		

60
SE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000089566

Well log n:	868148	U version:	!
Well type :	WATER WELL		
End user i:	642		
Cnty code:	45	Twp code:	1275
Orig owner:	MARGIE	Orig own 1:	SNOKE
Drill type:	CABLE TOOL	Test type :	B
Well use c:	Not Reported	Aquifer ty:	SANDST and SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	98-442
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	22		
St dir cod:	W		
St no:	140		
St name:	WALNUT	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939486.82		
Horiz y:	623262.14		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	831		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71118		
Longitude:	-82.60313		
Source of :	Not Reported	Flowing we:	N
Test rate:	30		
Draw down:	10		
Draw down :	1		
S water le:	15		
S water me:	T	S water 1:	19990523
Cas ht:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	50		
Date of co:	19990522	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990818	Added by:	BUTTRUMM
Date chang:	19990818	Changed by:	BUTTRUMM
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000089566		

G61
NNW
1/4 - 1/2 Mile
Lower

OH WELLS OHPWS6000001267

County:	Fairfield	Pwsid:	OH2301012
Well num:	11616		
Well name:	North Plant Well 020	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.717931		
Longitude:	-82.608769		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001267		

G62
North
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000020431

Well log n:	295661	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	SAND
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	275		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	1		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1938049.5		
Horiz y:	625820.86		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	817		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.718205		
Longitude:	-82.608249		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	120		
Date of co:	19630524	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020431		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	724650	U version:	!
Well type :	WATER WELL		
End user i:	1211		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	FAIRFIELD PAINT&OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	12		
St dir cod:	Not Reported		
St no:	605		
St name:	LINCOLN	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1936645.57		
Horiz y:	623378.46		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.711485		
Longitude:	-82.613234		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	12		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	16		
Date of co:	19930315	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014715		

H64 North 1/4 - 1/2 Mile Lower

OH WELLS OHPWS6000001254

County:	Fairfield	Pwsid:	OH2301012
Well num:	11622		
Well name:	North Plant Well 026	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.718594		
Longitude:	-82.6083		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001254		

H65 North 1/4 - 1/2 Mile Lower

OH WELLS OHPWS6000001253

County:	Fairfield	Pwsid:	OH2301012
Well num:	11623		
Well name:	North Plant Well 027	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.718675		
Longitude:	-82.607408		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001253		

H66 North 1/4 - 1/2 Mile Lower

OH WELLS OHD700000020430

Well log n:	295660	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	SAND
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	274		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	1		
St dir cod:	Not Reported		
St no:	0		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1938052.55		
Horiz y:	626017.55		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.718736		
Longitude:	-82.608236		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	120		
Date of co:	19630524	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020430		

67
ENE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000090820

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	890548	U version:	Not Reported
Well type :	WATER WELL		
End user i:	824		
Cnty code:	45	Twp code:	1275
Orig owner:	RICHARD	Orig own 1:	WELSH
Drill type:	CABLE TOOL	Test type :	B
Well use c:	DOMESTIC	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	00-136
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	125		
St name:	WHEELING	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1940037		
Horiz y:	624685.74		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	870		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71509		
Longitude:	-82.60118		
Source of :	Not Reported	Flowing we:	N
Test rate:	2		
Draw down:	999.9		
Draw down :	1		
S water le:	30		
S water me:	T	S water 1:	20000501
Cas ht:	0		
Screen len:	0		
Total dept:	175		
Date of co:	20000501	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	1		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000090820		

I68
North
1/4 - 1/2 Mile
Lower

OH WELLS OHDM10000012014

Well log n:	2038366	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	SSA #9773	Orig own 1:	KEMRON ENVIRONMENTAL SERVICES
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	508	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	44805		
Well loc d:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938573.13		
Horiz y:	626173.56		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719167		
Longitude:	-82.606389		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	25-JUN-12
Cas ht:	0		
Screen len:	15		
Total dept:	30		
Date of co:	25-JUN-12	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	15		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012014		

169
North
1/4 - 1/2 Mile
Lower

OH WELLS OHDM10000012015

Well log n:	2038366		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	SSA #9773	Orig own 1:	KEMRON ENVIRONMENTAL SERVICES
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	508		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	44805		
Well loc d:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938573.13		
Horiz y:	626173.56		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719167		
Longitude:	-82.606389		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	25-JUN-12
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	15		
Total dept:	30		
Date of co:	25-JUN-12	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012015		

I70
North
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000423852

Well log n:	2038366	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	SSA #9773	Orig own 1:	KEMRON ENVIRONMENTAL SERVICES
Drill type:	AUGER	Test type :	B
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	508		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	44805		
Well Loc:	MW-1		
Zone code:	Not Reported		
Horiz x:	1938573.13		
Horiz y:	626173.56		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.719167		
Longitude:	-82.606389		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	20120625
Cas ht:	0		
Screen len:	15		
Total dept:	30		
Date of co:	20120625	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000423852		

H71
North
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000020429

Well log n:	295659		
Well type :	WATER WELL	U version:	!
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CITY OF LANCASTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	TEST WELL	Aquifer ty:	SAND
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	273		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	1		
St dir cod:	Not Reported		
St no:	0		
St name:	MILLER PARK	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938033.1		
Horiz y:	626221.56		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719301		
Longitude:	-82.608314		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	12		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	110		
Date of co:	19630524	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020429		

H72
North
1/4 - 1/2 Mile
Lower

OH WELLS OHPWS6000001252

County:	Fairfield	Pwsid:	OH2301012
Well num:	11624		
Well name:	North Plant Well 028	Sys name:	Lancaster City Pws
Dnr wl log:	Not Reported	WI avail:	Permanent
Act date:	15-OCT-99	WI status:	Active
Sys status:	Active		
Latitude:	39.719394		
Longitude:	-82.608631		
Well lst u:	01-MAY-08	Sys lst up:	27-AUG-12
Site id:	OHPWS6000001252		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

73

North

1/4 - 1/2 Mile

Lower

OH WELLS

OHD700000020428

Well log n: 295662
Well type : WATER WELL
End user i: 2149
Cnty code: 45
Orig owner: Not Reported
Drill type: Not Reported
Well use c: TEST WELL
Loc map ye: 1979
Loc no: 272
Sub name: Not Reported
Sub no: Not Reported
Sec owner : Not Reported
Sect no: 1
St dir cod: Not Reported
St no: 0
St name: MILLER PARK
Sec add: Not Reported
Sec add no: 0
City: Not Reported
Zip: Not Reported
Zone code: Not Reported
Horiz x: 1938022.06
Horiz y: 626396.41
Horiz datu: Not Reported
Horiz acc : 0
Horiz acc1: 0
Horiz ac 1: Not Reported
Vert loc: 821
Vert acc: 0
Vert acc u: Not Reported
Latitude: 39.719783
Longitude: -82.608349
Source of : Not Reported
Test rate: 0
Draw down: 0
Draw down : 0
S water le: 12
S water me: Not Reported
Cas ht: 0
Screen len: 0
Total dept: 135
Date of co: 19630524
Assoc rpt : Not Reported
Depth to b: 0
Drill year: Not Reported
Well seal : 0
Date added: 18991230
Date chang: 18991230

U version: !
Twp code: 1275
Orig own 1: CITY OF LANCASTER
Test type : Not Reported
Aquifer ty: CLAY and SANDSTONE
Loc area: Not Reported
Sub map ye: Not Reported
Permit no: Not Reported
Lot no: Not Reported
St type co: Not Reported
State code: OH
Flowing we: N
S water 1: 18991230
Located in: Y
Added by: Not Reported
Changed by: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020428		

**74
NE
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000016312

Well log n:	667022		
Well type :	WATER WELL	U version:	!
End user i:	1186		
Cnty code:	45	Twp code:	2445
Orig owner:	CLAIRICE	Orig own 1:	THOMAS
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	420		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939917.26		
Horiz y:	625771.34		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	837		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.718075		
Longitude:	-82.601606		
Source of :	Geocode	Flowing we:	N
Test rate:	12		
Draw down:	5		
Draw down :	6		
S water le:	12		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0			
Total dept:	35			
Date of co:	19880328	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	0			
Screened i:	0			
Screened 1:	0			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000016312			

J75
North
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000111820

Well log n:	951590			
Well type :	WATER WELL	U version:		Not Reported
End user i:	4085			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		HULL & ACCOCIATES
Drill type:	Not Reported	Test type :		Not Reported
Well use c:	Not Reported	Aquifer ty:		SAND
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	N			
St no:	603			
St name:	MEMORIAL	St type co:		DR
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	1938393.55			
Horiz y:	626552.6			
Horiz datu:	Not Reported			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	830			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72021		
Longitude:	-82.60703		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	28		
Date of co:	20030219	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030312	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000111820		

J76
North
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000111821

Well log n:	951591		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4085		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	HULL & ASSOCIATES
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	SOIL BORING	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	603		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1938393.55		
Horiz y:	626552.6		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	830		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72021		
Longitude:	-82.60703		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	32		
Date of co:	20030219	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030312	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000111821		

J77
North
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000014812

Well log n:	817377		
Well type :	WATER WELL	U version:	!
End user i:	1551		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	603		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938416.19		
Horiz y:	626665.49		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	825		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72052		
Longitude:	-82.606953		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	25		
Date of co:	19951116	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014812		

J78
North
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000014813

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	817376	U version:	!
Well type :	WATER WELL		
End user i:	1551		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	603		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1938416.19		
Horiz y:	626665.49		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	825		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72052		
Longitude:	-82.606953		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	40		
Date of co:	19951116	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014813		

K79
West
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000020772

Well log n:	815683	U version:	!
Well type :	WATER WELL		
End user i:	564		
Cnty code:	45	Twp code:	275
Orig owner:	ROBERT	Orig own 1:	DAVIS
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	240		
St name:	CEDAR HILL	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1935642.19		
Horiz y:	624115.52		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713507		
Longitude:	-82.616805		
Source of :	Geocode	Flowing we:	N
Test rate:	15		
Draw down:	0		
Draw down :	2		
S water le:	60		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	89		
Date of co:	19960827	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020772		

L80
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000012006

Well log n:	2026441		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	534		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012006		

L81
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000012007

Well log n:	2026441		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	534		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012007		

**L82
NE
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000012004

Well log n:	2026440	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	535		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012004		

L83
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000012005

Well log n:	2026440		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	535		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012005		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

L84

NE

**1/4 - 1/2 Mile
Higher**

OH WELLS

OHDM10000012008

Well log n:	2026442	U version:	Not Reported
Well type :	W		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	534		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCATER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	8.5		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012008		

L85
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000413366

Well log n:	2026441		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	534		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	20100128
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10			
Total dept:	15			
Date of co:	20100128	Located in:		Not Reported
Assoc rpt :	N			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	.01			
Screened i:	15			
Screened 1:	5			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	1			
Screen typ:	PREPACKED SLOTTED	Screen mat:		PVC
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000413366			

L86
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000413367

Well log n:	2026442			
Well type :	WATER WELL	U version:		Not Reported
End user i:	4225			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		PIPER'S AUTO SERVICE
Drill type:	DP	Test type :		B
Well use c:	MONITOR	Aquifer ty:		CLA
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	N			
St no:	534			
St name:	BROAD	St type co:		ST
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCATER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	1939954.28			
Horiz y:	626168.33			
Horiz datu:	NAD83			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	829			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	8.5		
S water me:	T	S water 1:	20100128
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	20100128	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413367		

L87
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000012009

Well log n:	2026442		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	534		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCATER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	8.5		
S water me:	T	S water 1:	28-JAN-10
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	28-JAN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012009		

L88
NE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000413365

Well log n:	2026440	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	PIPER'S AUTO SERVICE
Drill type:	DP	Test type :	B
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	535		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939954.28		
Horiz y:	626168.33		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.719157		
Longitude:	-82.601481		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	9		
S water me:	T	S water 1:	20100128
Cas ht:	0		
Screen len:	10		
Total dept:	15		
Date of co:	20100128	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	5		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000413365		

K89
West
1/2 - 1 Mile
Lower

OH WELLS OHD700000036561

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	815687	U version:	!
Well type :	WATER WELL		
End user i:	564		
Cnty code:	45	Twp code:	30
Orig owner:	DAVID	Orig own 1:	JACAKSON
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	SILTSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	276		
St name:	CEDAR HILL	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1935352.66		
Horiz y:	624287.1		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71398		
Longitude:	-82.61783		
Source of :	Geocode	Flowing we:	N
Test rate:	20		
Draw down:	10		
Draw down :	2		
S water le:	65		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	254		
Date of co:	19961018	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000036561		

90
West
1/2 - 1 Mile
Lower

OH WELLS OHD700000016703

Well log n:	672337	U version:	!
Well type :	WATER WELL		
End user i:	824		
Cnty code:	45	Twp code:	275
Orig owner:	DOUG	Orig own 1:	MUTCHLER
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	300		
St name:	CEDAR HILL	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1935088.13		
Horiz y:	624214.59		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713777		
Longitude:	-82.618774		
Source of :	Geocode	Flowing we:	N
Test rate:	20		
Draw down:	0		
Draw down :	1		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	63		
Date of co:	19881001	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000016703		

M91
East
1/2 - 1 Mile
Higher

OH WELLS OHD700000081409

Well log n:	854942		
Well type :	WATER WELL	U version:	!
End user i:	1156		
Cnty code:	45	Twp code:	275
Orig owner:	DON	Orig own 1:	FREAR
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	343		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1941389.55		
Horiz y:	624159.73		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	855		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.713653		
Longitude:	-82.596374		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	999		
Date of co:	19970506	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000081409		

M92
East
1/2 - 1 Mile
Higher

OH WELLS OHD700000081410

Well log n:	854941		
Well type :	WATER WELL	U version:	!
End user i:	1156		
Cnty code:	45	Twp code:	275
Orig owner:	DON	Orig own 1:	FREAR
Drill type:	ROTARY	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	343		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1941389.55		
Horiz y:	624159.73		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	855		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.713653		
Longitude:	-82.596374		
Source of :	Geocode	Flowing we:	N
Test rate:	6		
Draw down:	9		
Draw down :	1		
S water le:	28		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	45		
Date of co:	19970506	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000081410		

**N93
SSW
1/2 - 1 Mile
Higher**

OH WELLS OHDM10000011578

Well log n:	2027260		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SPENCE
Drill type:	DP	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	495		
St name:	TALLMADGE	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1936488.48		
Horiz y:	621506.41		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	828		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.706353		
Longitude:	-82.61378		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	09-APR-10
Cas ht:	0		
Screen len:	10		
Total dept:	20		
Date of co:	09-APR-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	20		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011578		

N94
SSW
1/2 - 1 Mile
Higher

OH WELLS OHDM10000011579

Well log n:	2027260		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SPENCE
Drill type:	DP	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	495		
St name:	TALLMADGE	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1936488.48		
Horiz y:	621506.41		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	828		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.706353		
Longitude:	-82.61378		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	09-APR-10
Cas ht:	0		
Screen len:	10		
Total dept:	20		
Date of co:	09-APR-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	20		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000011579		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N95
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD700000427016**

Well log n:	2027260	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4225		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SPENCE
Drill type:	DP	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	495		
St name:	TALLMADGE	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1936488.48		
Horiz y:	621506.41		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	828		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.706353		
Longitude:	-82.61378		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20100409
Cas ht:	0		
Screen len:	10		
Total dept:	20		
Date of co:	20100409	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	20		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	PREPACKED SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000427016		

O96
NE
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012135

Well log n:	2015295		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10			
Total dept:	20			
Date of co:	19-FEB-08	Located in:		Not Reported
Assoc rpt :	N			
Depth to b:	0			
Drill year:	Not Reported			
Comments:	Not Reported			
Well seal :	0			
Date added:	30-DEC-99	Added by:		Not Reported
Date chang:	30-DEC-99	Changed by:		Not Reported
Screen slo:	.01			
Screened i:	10			
Screened 1:	20			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	2			
Screen typ:	MACHINE SLOTTED	Screen mat:		PVC
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHDM10000012135			

**O97
NE
1/2 - 1 Mile
Higher**

OH WELLS OHDM10000012134

Well log n:	2013579			
Well type :	W	U version:		Not Reported
End user i:	4221			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		ENGLEFIELD OIL
Drill type:	A	Test type :		Not Reported
Well use c:	M	Aquifer ty:		CLA
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	E			
St no:	189			
St name:	6TH	St type co:		AVE
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Well loc d:	Not Reported			
Zone code:	Not Reported			
Horiz x:	1940722.54			
Horiz y:	626466.17			
Horiz datu:	NAD83			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	833			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	5		
Total dept:	15		
Date of co:	15-OCT-07	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012134		

**O98
NE
1/2 - 1 Mile
Higher**

OH WELLS OHDM10000012133

Well log n:	2013579		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	5		
Total dept:	15		
Date of co:	15-OCT-07	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012133		

O99
NE
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012136

Well log n:	2015295		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	20		
Date of co:	19-FEB-08	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	10		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012136		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

O100

NE

**1/2 - 1 Mile
Higher**

OH WELLS

OHD700000417868

Well log n:	2013579	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	5		
Total dept:	15		
Date of co:	20071015	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	15		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000417868		

O101
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000415236

Well log n:	2015295		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	20		
Date of co:	20080219	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	10		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000415236		

O102
NE
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012137

Well log n:	2015295		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ENGLEFIELD OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	189		
St name:	6TH	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1940722.54		
Horiz y:	626466.17		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.71998		
Longitude:	-82.59875		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	20		
Date of co:	19-FEB-08	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	10		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012137		

103
WNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000020436

Well log n:	236107	U version:	!
Well type :	WATER WELL		
End user i:	2573		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	W.C. DELILLE CO.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	280		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	413		
St name:	GAYFIELD	St type co:	SR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1935284.6		
Horiz y:	626021.02		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.718738		
Longitude:	-82.618081		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	91		
Date of co:	19600318	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020436		

**104
ENE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000090815

Well log n:	904949		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1231		
Cnty code:	73	Twp code:	Not Reported
Orig owner:	STEVEN	Orig own 1:	CARLISLIS
Drill type:	ROTARY	Test type :	A
Well use c:	DOMESTIC	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	99-449
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	409		
St name:	MULLBERRY	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1941640.87		
Horiz y:	625059.17		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	846		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71612		
Longitude:	-82.59548		
Source of :	Not Reported	Flowing we:	N
Test rate:	10		
Draw down:	0		
Draw down :	.5		
S water le:	50		
S water me:	T	S water 1:	20000605
Cas ht:	0		
Screen len:	0		
Total dept:	320		
Date of co:	20000605	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000090815		

105
SSE
1/2 - 1 Mile
Lower

OH WELLS OHD700000093562

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	902624	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1139		
Cnty code:	45	Twp code:	225
Orig owner:	JIM	Orig own 1:	ENGEL
Drill type:	CABLE TOOL	Test type :	B
Well use c:	DOMESTIC	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	S		
St no:	722		
St name:	BROAD	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1939672.7		
Horiz y:	620963.5		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	815		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.70487		
Longitude:	-82.60246		
Source of :	Not Reported	Flowing we:	N
Test rate:	20		
Draw down:	2		
Draw down :	2		
S water le:	8		
S water me:	T	S water 1:	20000307
Cas ht:	0		
Screen len:	0		
Total dept:	22		
Date of co:	20000307	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000093562		

106
WNW
1/2 - 1 Mile
Higher

OH WELLS OHD700000020427

Well log n:	264253	U version:	!
Well type :	WATER WELL		
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	ANCHAR HOCKING GLASS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	271		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	35		
St dir cod:	Not Reported		
St no:	0		
St name:	PIERCE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1934750.02		
Horiz y:	625937.95		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	829		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.718505		
Longitude:	-82.619983		
Source of :	Not Reported	Flowing we:	N
Test rate:	10		
Draw down:	0		
Draw down :	4		
S water le:	18		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	60		
Date of co:	19610717	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020427		

107
West
1/2 - 1 Mile
Higher

OH WELLS OHD700000016701

Well log n:	780696		
Well type :	WATER WELL	U version:	!
End user i:	537		
Cnty code:	45	Twp code:	275
Orig owner:	FRANK	Orig own 1:	STEPHENS
Drill type:	ROTARY	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1294		
St name:	CEDAR HILL	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1934283.76		
Horiz y:	624361.36		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	861		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.714177		
Longitude:	-82.621626		
Source of :	Geocode	Flowing we:	N
Test rate:	15		
Draw down:	20		
Draw down :	2		
S water le:	142		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0			
Total dept:	242			
Date of co:	19940415	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	18991230	Added by:		Not Reported
Date chang:	18991230	Changed by:		Not Reported
Screen slo:	0			
Screened i:	0			
Screened 1:	0			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000016701			

108
SSW
1/2 - 1 Mile
Higher

OH WELLS OHD700000112135

Well log n:	943098			
Well type :	WATER WELL	U version:		Not Reported
End user i:	824			
Cnty code:	45	Twp code:		2225
Orig owner:	ROY/RPBIN	Orig own 1:		MILLER
Drill type:	CABLE TOOL	Test type :		B
Well use c:	DOMESTIC	Aquifer ty:		SANDSTONE
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		2001-316
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	Not Reported			
St no:	808			
St name:	REESE	St type co:		AVE
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	43130			
Zone code:	Not Reported			
Horiz x:	1936085.32			
Horiz y:	620851.27			
Horiz datu:	Not Reported			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	846			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.70455		
Longitude:	-82.61521		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	30		
Draw down:	0		
Draw down :	1		
S water le:	40		
S water me:	T	S water 1:	20020401
Cas ht:	2		
Screen len:	0		
Total dept:	75		
Date of co:	20020401	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	2ND CASING DIA 5" LENGTH 59'		
Well seal :	0		
Date added:	20020705	Added by:	CUTLER, PATSY
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112135		

P109
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000018035

Well log n:	331503		
Well type :	WATER WELL	U version:	!
End user i:	1036		
Cnty code:	45	Twp code:	1110
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY IN
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1978	Loc area:	Not Reported
Loc no:	169		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	36		
St dir cod:	W		
St no:	0		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937396.85		
Horiz y:	628087.3		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	815		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.724422		
Longitude:	-82.61058		
Source of :	Not Reported	Flowing we:	N
Test rate:	225		
Draw down:	2		
Draw down :	7		
S water le:	16		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	90		
Date of co:	19650525	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000018035		

P110
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000014814

Well log n:	835823		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	POLTRY HOUSE
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL/SAND/CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	30		
Date of co:	19960719	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014814		

P111
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000014815

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	835824	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	POLTRY HOUSE
Drill type:	AUGER	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	30		
Date of co:	19960719	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014815		

P112
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000014716

Well log n:	784260	U version:	!
Well type :	WATER WELL		
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	36		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	22		
Date of co:	19931117	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014716		

P113
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000014717

Well log n:	784256		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	36		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	24		
Date of co:	19931117	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014717		

P114
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000015578

Well log n:	758404	U version:	!
Well type :	WATER WELL		
End user i:	1514		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19920727	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015578		

P115
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000015579

Well log n:	758405		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19911230	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015579		

P116
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000014816

Well log n:	835803		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	POLTRY HOUSE
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL/SAND/CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	30		
Date of co:	19960719	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014816		

P117
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000015577

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	758403	U version:	!
Well type :	WATER WELL		
End user i:	0		
Cnty code:	45	Twp code:	225
Orig owner:	Not Reported	Orig own 1:	LANCASTER POULTRY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	505		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937399.73		
Horiz y:	628145.58		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	813		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72458		
Longitude:	-82.61057		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19911230	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015577		

Q118
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087691

Well log n:	893888	U version:	"
Well type :	WATER WELL		
End user i:	1390		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	A
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822	Flowing we:	N
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	S water 1:	19980615
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	999		
S water me:	T		
Cas ht:	0		
Screen len:	0		
Total dept:	30	Located in:	Not Reported
Date of co:	19980615		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	SHIELDSD
Date chang:	19990713	Changed by:	CUTLER

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087691		

Q119
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087689

Well log n:	893887		
Well type :	WATER WELL	U version:	"
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	A
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	999		
S water me:	T	S water 1:	19980615
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0			
Total dept:	32			
Date of co:	19980615	Located in:		Not Reported
Assoc rpt :	Not Reported			
Depth to b:	0			
Drill year:	Not Reported			
Well seal :	0			
Date added:	19990701	Added by:		SHIELDSD
Date chang:	19990713	Changed by:		CUTLER
Screen slo:	0			
Screened i:	0			
Screened 1:	0			
Sustained :	0			
Attatch st:	Not Reported			
Screen dia:	0			
Screen typ:	Not Reported	Screen mat:		Not Reported
Pump type:	Not Reported			
Pump capac:	0			
Pump set a:	0			
Pitless ty:	Not Reported	Pump inst :		Not Reported
Elev sourc:	Not Reported			
Water leve:	0			
Well drill:	Not Reported	Subcon odh:		Not Reported
Site id:	OHD700000087689			

Q120
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087688

Well log n:	893889			
Well type :	WATER WELL	U version:		#
End user i:	1514			
Cnty code:	45	Twp code:		1275
Orig owner:	Not Reported	Orig own 1:		BP OIL
Drill type:	AUGER	Test type :		A
Well use c:	MONITOR	Aquifer ty:		SAND
Loc map ye:	Not Reported	Loc area:		Not Reported
Loc no:	0			
Sub name:	Not Reported	Sub map ye:		Not Reported
Sub no:	Not Reported	Permit no:		Not Reported
Sec owner :	Not Reported	Lot no:		Not Reported
Sect no:	0			
St dir cod:	N			
St no:	1023			
St name:	MEMORIAL	St type co:		DR
Sec add:	Not Reported			
Sec add no:	0			
City:	LANCASTER	State code:		OH
Zip:	Not Reported			
Zone code:	Not Reported			
Horiz x:	1937838.75			
Horiz y:	628334.45			
Horiz datu:	Not Reported			
Horiz acc :	0			
Horiz acc1:	0			
Horiz ac 1:	Not Reported			
Vert loc:	822			
Vert acc:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	999		
S water me:	T	S water 1:	19980616
Cas ht:	0		
Screen len:	0		
Total dept:	27		
Date of co:	19980616	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	SHIELDSD
Date chang:	19990713	Changed by:	CUTLER
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087688		

Q121
North
1/2 - 1 Mile
Lower

OH WELLS

OHD700000087883

Well log n:	893890		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	INDUSTRIAL	Aquifer ty:	SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	18991230
Cas ht:	0		
Screen len:	2		
Total dept:	24		
Date of co:	19980617	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	BUTTRUMM
Date chang:	19990701	Changed by:	BUTTRUMM
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087883		

Q122
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087889

Well log n:	893891		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	PIEZOMETER	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	2		
Total dept:	26		
Date of co:	19980616	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	BUTTRUMM
Date chang:	19990701	Changed by:	BUTTRUMM
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087889		

Q123
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087887

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	893892	U version:	!
Well type :	WATER WELL		
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	DRIVEN	Test type :	Not Reported
Well use c:	PIEZOMETER	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	19980618	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	BUTTRUMM
Date chang:	19990701	Changed by:	BUTTRUMM
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087887		

Q124
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000087885

Well log n:	893893	U version:	!
Well type :	WATER WELL		
End user i:	1514		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	DRIVEN	Test type :	Not Reported
Well use c:	PIEZOMETER	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937838.75		
Horiz y:	628334.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7251		
Longitude:	-82.60901		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	24		
Date of co:	19980619	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990701	Added by:	BUTTRUMM
Date chang:	19990701	Changed by:	BUTTRUMM

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000087885		

Q125
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112225

Well log n:	961147		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	25		
Total dept:	30		
Date of co:	20030408	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112225		

Q126
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112226

Well log n:	961146	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	25		
Total dept:	30		
Date of co:	20030409	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112226		

Q127
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112223

Well log n:	961150		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT and CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	21		
Total dept:	26		
Date of co:	20030410	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	26		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112223		

Q128
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112224

Well log n:	961148		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	29		
Total dept:	34		
Date of co:	20030409	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	34		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112224		

Q129
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112227

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	961149	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT and CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	21		
Total dept:	26		
Date of co:	20030410	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	26		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112227		

Q130
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000115537

Well log n:	961151	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT and CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821	Flowing we:	Not Reported
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	S water 1:	18991230
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported		
Cas ht:	0		
Screen len:	21		
Total dept:	26	Located in:	Not Reported
Date of co:	20030409		
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030514	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	26		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000115537		

Q131
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000115771

Well log n:	961154		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	25		
Total dept:	30		
Date of co:	20030407	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030514	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	30		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000115771		

Q132
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112228

Well log n:	961153	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	LANCASTER		
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	27		
Total dept:	32		
Date of co:	20030408	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	32		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112228		

Q133
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000112229

Well log n:	961152		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	31		
Total dept:	36		
Date of co:	20030408	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030509	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	36		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000112229		

P134
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000141724

Well log n:	2018869		
Well type :	WATER WELL	U version:	Not Reported
End user i:	3119		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SLATERS HARDWARE
Drill type:	DP	Test type :	Not Reported
Well use c:	MUNICIPAL	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937580.05		
Horiz y:	628396.69		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	817		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725267		
Longitude:	-82.609933		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	1		
S water me:	G	S water 1:	18991230
Cas ht:	.5		
Screen len:	10		
Total dept:	22		
Date of co:	20080915	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	21		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000141724		

Q135
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012405

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	2002126	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012405		

Q136
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012406

Well log n:	2002126	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012406		

Q137
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012403

Well log n:	2002126		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012403		

Q138
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012404

Well log n:	2002126		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD10000012404		

Q139
North
1/2 - 1 Mile
Lower

OH WELLS OHD10000012409

Well log n:	2002126		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012409		

Q140
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012410

Well log n:	2002126	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012410		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q141
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012407

Well log n:	2002126	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012407		

Q142
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012408

Well log n:	2002126		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	24.6		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012408		

Q143
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000338336

Well log n:	2002126		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	AUGER	Test type :	O
Well use c:	MONITOR	Aquifer ty:	SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well Loc:	MONITORING WELL CMW-20 IS LOCATED APPROXIMATELY 50'S AND 3.5'E OF SE CORNER OF CERTIFIED STATION BUILDING.		
Zone code:	S		
Horiz x:	1937796.66		
Horiz y:	628421.92		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72534		
Longitude:	-82.60916		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	20060222
Cas ht:	0		
Screen len:	20		
Total dept:	24.6		
Date of co:	20060222	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-20 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.6		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000338336		

R144
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000125953

Well log n:	990427	U version:	Not Reported
Well type :	WATER WELL		
End user i:	642		
Cnty code:	45	Twp code:	2225
Orig owner:	MATTHEW	Orig own 1:	WOLFE
Drill type:	CABLE TOOL	Test type :	B
Well use c:	DOMESTIC	Aquifer ty:	SANDSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	2000-140
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	35		
St dir cod:	Not Reported		
St no:	195		
St name:	LAKE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1940979.63		
Horiz y:	627496.72		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72281		
Longitude:	-82.59784		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	15		
Draw down:	110		
Draw down :	1		
S water le:	40		
S water me:	T	S water 1:	20051001
Cas ht:	1.2		
Screen len:	0		
Total dept:	275		
Date of co:	20050818	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20060123	Added by:	DENNIS CRIST
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	15		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000125953		

Q145
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012413

Well log n:	2002125		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012413		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q146
North
1/2 - 1 Mile
Higher

OH WELLS

OHDM10000012414

Well log n:	2002125	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012414		

Q147
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012411

Well log n:	2002125		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012411		

Q148
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012412

Well log n:	2002125		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDm10000012412		

Q149
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012417

Well log n:	2002125		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012417		

Q150
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012418

Well log n:	2002125	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012418		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q151
North
1/2 - 1 Mile
Higher

OH WELLS

OHDM10000012415

Well log n:	2002125	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012415		

Q152
North
1/2 - 1 Mile
Higher

OH WELLS OHDM10000012416

Well log n:	2002125		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	A	Test type :	O
Well use c:	M	Aquifer ty:	SLT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	22-FEB-06
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	24.8		
Date of co:	22-FEB-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012416		

Q153
North
1/2 - 1 Mile
Higher

OH WELLS OHD700000338335

Well log n:	2002125		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED OIL
Drill type:	AUGER	Test type :	O
Well use c:	MONITOR	Aquifer ty:	SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1030		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well Loc:	MONITORING WELL CMW-19 IS LOCATED APPROXIMATELY 32'W AND 6'N OF NW CORNER OF STATION BUILDING.		
Zone code:	S		
Horiz x:	1937889.53		
Horiz y:	628461.88		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	823		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72545		
Longitude:	-82.60883		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	T	S water 1:	20060222
Cas ht:	0		
Screen len:	20		
Total dept:	24.8		
Date of co:	20060222	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-19 IS A 2-INCH DIAMETER MONITORING WELL. WATER DURING DRILLING WAS AT 13 FEET.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5.5		
Screened 1:	24.8		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000338335		

P154
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000142981

Well log n:	2018870	U version:	Not Reported
Well type :	WATER WELL		
End user i:	3119		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SLATERS HARDWARE
Drill type:	DP	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937411.35		
Horiz y:	628444.25		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	815		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7254		
Longitude:	-82.610533		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	1		
S water me:	G	S water 1:	18991230
Cas ht:	.5		
Screen len:	10		
Total dept:	20		
Date of co:	20080916	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	20		
Screened 1:	10		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000142981		

155
SSW
1/2 - 1 Mile
Higher

OH WELLS OHD700000020441

Well log n:	264257		
Well type :	WATER WELL	U version:	!
End user i:	2149		
Cnty code:	45	Twp code:	1275
Orig owner:	WILLIAM	Orig own 1:	GRUMM
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SANDSTONE
Loc map ye:	1979	Loc area:	Not Reported
Loc no:	285		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	610		
St name:	SPRING	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937038.06		
Horiz y:	620005.01		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	902		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.702234		
Longitude:	-82.611822		
Source of :	Not Reported	Flowing we:	N
Test rate:	8		
Draw down:	30		
Draw down :	2		
S water le:	35		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	82		
Date of co:	19610825	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000020441		

Q156
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012425

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	2041717	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012425		

Q157
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012424

Well log n:	2041717		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012424		

Q158
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012423

Well log n:	2041717		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012423		

Q159
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012426

Well log n:	2041717		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012426		

Q160
North
1/2 - 1 Mile
Lower

OH WELLS

OHD700000431838

Well log n:	2041717	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	20130128
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	20130128	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000431838		

Q161
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012428

Well log n:	2041717	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012428		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q162
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012427

Well log n:	2041717	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #4
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	GRA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937808.03		
Horiz y:	628516.62		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.609117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-24 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 4'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012427		

Q163
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000014453

Well log n:	756180		
Well type :	WATER WELL	U version:	!
End user i:	0		
Cnty code:	45	Twp code:	1110
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937712.39		
Horiz y:	628516.73		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.60946		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20.6		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	32		
Date of co:	19921019	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014453		

Q164
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000014454

Well log n:	756181	U version:	!
Well type :	WATER WELL		
End user i:	0		
Cnty code:	45	Twp code:	1110
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937712.39		
Horiz y:	628516.73		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.60946		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20.5		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19921019	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014454		

Q165
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000014455

Well log n:	756182		
Well type :	WATER WELL	U version:	!
End user i:	0		
Cnty code:	45	Twp code:	1110
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937712.39		
Horiz y:	628516.73		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7256		
Longitude:	-82.60946		
Source of :	Geocode	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19.6		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	31		
Date of co:	19921019	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000014455		

Q166
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012431

Well log n:	2041718		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012431		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q167

North

1/2 - 1 Mile

Lower

OH WELLS

OHDM10000012430

Well log n:	2041718	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012430		

Q168
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012429

Well log n:	2041718		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012429		

Q169
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012434

Well log n:	2041718		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012434		

Q170
North
1/2 - 1 Mile
Lower

OH WELLS

OHD700000431839

Well log n:	2041718	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	20130129
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	20130129	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000431839		

Q171
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012432

Well log n:	2041718	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012432		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q172

North

1/2 - 1 Mile

Lower

OH WELLS

OHDM10000012433

Well log n:	2041718	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937681.46		
Horiz y:	628524.05		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.609567		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-25 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 19'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012433		

Q173
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012438

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012438		

Q174
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012439

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012439		

Q175
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012437

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012437		

Q176
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012435

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012435		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q177

North

1/2 - 1 Mile

Lower

OH WELLS

OHDM10000012436

Well log n:	2041719	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012436		

Q178
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012440

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012440		

Q179
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012444

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012444		

Q180
North
1/2 - 1 Mile
Lower

OH WELLS

OHD700000434378

Well log n:	2041719	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	20130129
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	20130129	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000434378		

Q181
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012443

Well log n:	2041719	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012443		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q182
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012441

Well log n:	2041719	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012441		

Q183
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012442

Well log n:	2041719		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937636.47		
Horiz y:	628527.75		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.725633		
Longitude:	-82.609733		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	20		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-26 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 20'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDH10000012442		

Q184
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000142982

Well log n:	2018871		
Well type :	WATER WELL	U version:	Not Reported
End user i:	3119		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	SLATERS HARDWARE
Drill type:	DP	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1023		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937512.7		
Horiz y:	628524.26		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	818		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.725617		
Longitude:	-82.610167		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	1		
S water me:	G	S water 1:	18991230
Cas ht:	.5		
Screen len:	10		
Total dept:	20		
Date of co:	20080916	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000142982		

R185
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000089118

Well log n:	860550		
Well type :	WATER WELL	U version:	!
End user i:	1339		
Cnty code:	45	Twp code:	2225
Orig owner:	JANE	Orig own 1:	WHETSTONE
Drill type:	ROTARY	Test type :	A
Well use c:	DOMESTIC	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	97-370
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	225		
St name:	LAKE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1941162.45		
Horiz y:	627489.24		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	831		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72279		
Longitude:	-82.59719		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	11		
Draw down:	15		
Draw down :	1		
S water le:	55		
S water me:	T	S water 1:	19971212
Cas ht:	0		
Screen len:	0		
Total dept:	142		
Date of co:	19971212	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19980923	Added by:	CUTLER
Date chang:	19980923	Changed by:	CUTLER
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000089118		

R186
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000116140

Well log n:	928178		
Well type :	WATER WELL	U version:	Not Reported
End user i:	912		
Cnty code:	45	Twp code:	2225
Orig owner:	TODD E.	Orig own 1:	HOFFMAN
Drill type:	ROTARY	Test type :	A
Well use c:	DOMESTIC	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	2002-312
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	225		
St name:	LAKE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1941162.45		
Horiz y:	627489.24		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	831		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72279		
Longitude:	-82.59719		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	15		
Draw down:	24		
Draw down :	2		
S water le:	78		
S water me:	G	S water 1:	20020923
Cas ht:	1		
Screen len:	0		
Total dept:	198		
Date of co:	20020923	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20021107	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	14		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000116140		

187
ENE
1/2 - 1 Mile
Higher

OH WELLS OHD700000096464

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	914274	U version:	Not Reported
Well type :	WATER WELL		
End user i:	0		
Cnty code:	45	Twp code:	1110
Orig owner:	KENNETH	Orig own 1:	RIETICH
Drill type:	CABLE TOOL	Test type :	B
Well use c:	DOMESTIC	Aquifer ty:	SHALE AND SANDSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	00-130
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	530		
St name:	MAPLE	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1942252.31		
Horiz y:	626027.44		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	827		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.71878		
Longitude:	-82.59331		
Source of :	Not Reported	Flowing we:	N
Test rate:	12		
Draw down:	10		
Draw down :	1		
S water le:	30		
S water me:	T	S water 1:	20000801
Cas ht:	2		
Screen len:	0		
Total dept:	80		
Date of co:	20000801	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000096464		

Q188
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012460

Well log n:	2041720	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012460		

Q189
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012459

Well log n:	2041720		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012459		

Q190
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012458

Well log n:	2041720		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012458		

Q191
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012461

Well log n:	2041720		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012461		

Q192
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000434379

Well log n:	2041720		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SILT and CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	20130128
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	20130128	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000434379		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q193

North

1/2 - 1 Mile

Lower

OH WELLS

OHDM10000012463

Well log n:	2041720	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012463		

Q194
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012462

Well log n:	2041720		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SLC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937602.81		
Horiz y:	628607.93		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	821		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72585		
Longitude:	-82.60985		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	14.5		
S water me:	G	S water 1:	28-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	15		
Total dept:	20		
Date of co:	28-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-27 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 14.5'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012462		

S195
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000018050

Well log n:	477854		
Well type :	WATER WELL	U version:	!
End user i:	1036		
Cnty code:	45	Twp code:	1110
Orig owner:	ROBERT	Orig own 1:	PACKER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	1978	Loc area:	Not Reported
Loc no:	186		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	36		
St dir cod:	Not Reported		
St no:	0		
St name:	33	St type co:	SR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937425.58		
Horiz y:	628579		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	817		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.725773		
Longitude:	-82.610482		
Source of :	Not Reported	Flowing we:	N
Test rate:	40		
Draw down:	1		
Draw down :	1		
S water le:	11		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	57		
Date of co:	19740910	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000018050		

S196
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000142423

Well log n:	2018350		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	N		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well Loc:	CMW-21 IS 36' WEST AND 17' SOUTH OF THE NW CORNER OF THE BUILDING.		
Zone code:	Not Reported		
Horiz x:	1937566.27		
Horiz y:	628626.18		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7259		
Longitude:	-82.609983		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	17		
S water me:	G	S water 1:	20080612
Cas ht:	0		
Screen len:	13		
Total dept:	25		
Date of co:	20080612	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-12 IS A 2" MONITORING WELL. WATER DURING DRILLING WAS AT 17'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	12		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000142423		

S197
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000018049

Well log n:	412029	U version:	!
Well type :	WATER WELL		
End user i:	1271		
Cnty code:	45	Twp code:	1110
Orig owner:	R	Orig own 1:	PACKER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	1978	Loc area:	Not Reported
Loc no:	185		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	33	St type co:	SR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937411.56		
Horiz y:	628619.09		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	817		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72588		
Longitude:	-82.610527		
Source of :	Not Reported	Flowing we:	N
Test rate:	20		
Draw down:	0		
Draw down :	0		
S water le:	10		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	210		
Date of co:	19701217	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000018049		

Q198
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012472

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	2028833	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twtp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012472		

Q199
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012479

Well log n:	2028833	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012479		

Q200
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012478

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012478		

Q201
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000430608

Well log n:	2028833		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	20100608
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	20100608	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000430608		

Q202
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012480

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012480		

Q203
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012477

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012477		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

Q204
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012474

Well log n:	2028833	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012474		

Q205
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012473

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012473		

Q206
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012476

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012476		

Q207
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012475

Well log n:	2028833		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937749.15		
Horiz y:	628673.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.609333		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-22 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012475		

S208
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012470

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012470		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

S209

North

1/2 - 1 Mile

Lower

OH WELLS

OHDM10000012469

Well log n:	2041721	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012469		

S210
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000434380

Well log n:	2041721		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	20130129
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	15		
Total dept:	20		
Date of co:	20130129	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000434380		

S211
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012471

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012471		

S212
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012468

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012468		

S213
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012465

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012465		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database

EDR ID Number

S214
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012464

Well log n:	2041721	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012464		

S215
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012467

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012467		

S216
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012466

Well log n:	2041721		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937526.95		
Horiz y:	628673.59		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726033		
Longitude:	-82.610117		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	29-JAN-13
Cas ht:	0		
Screen len:	15		
Total dept:	20		
Date of co:	29-JAN-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-28 IS A 2" MONITORING. WATER DURING DRILLING WAS AT 15'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	20		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012466		

T217
SE
1/2 - 1 Mile
Lower

OH WELLS OHD700000015915

Well log n:	310505	U version:	!
Well type :	WATER WELL		
End user i:	1036		
Cnty code:	45	Twp code:	225
Orig owner:	P	Orig own 1:	SHAVER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	7		
St dir cod:	S		
St no:	777		
St name:	COLUMBUS	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1940927.04		
Horiz y:	620510.44		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.703627		
Longitude:	-82.597997		
Source of :	Geocode	Flowing we:	N
Test rate:	12		
Draw down:	100		
Draw down :	1		
S water le:	9		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	260		
Date of co:	19640316	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015915		

T218
SE
1/2 - 1 Mile
Lower

OH WELLS OHD700000015916

Well log n:	310506		
Well type :	WATER WELL	U version:	!
End user i:	1036		
Cnty code:	45	Twp code:	225
Orig owner:	P	Orig own 1:	SHAVER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	7		
St dir cod:	S		
St no:	777		
St name:	COLUMBUS	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1940927.04		
Horiz y:	620510.44		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.703627		
Longitude:	-82.597997		
Source of :	Geocode	Flowing we:	N
Test rate:	150		
Draw down:	20		
Draw down :	3		
S water le:	9		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	58		
Date of co:	19640319	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015916		

S219
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012498

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	2028838	U version:	Not Reported
Well type :	W		
End user i:	1411		
Cnty code:	45	Twtp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012498		

S220
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012499

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012499		

S221
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012497

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012497		

S222
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012495

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031	St type co:	DR
St name:	MEMORIAL		
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012495		

S223
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012496

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012496		

S224
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012503

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012503		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

S225
North
1/2 - 1 Mile
Lower

OH WELLS OHD700000418572

Well log n:	2028838	U version:	Not Reported
Well type :	WATER WELL		
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	20100608
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	20100608	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000418572		

S226
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012502

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012502		

S227
North
1/2 - 1 Mile
Lower

OH WELLS OHDM10000012500

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012500		

S228
North
1/2 - 1 Mile
Lower

OH WELLS

OHDM10000012501

Well log n:	2028838		
Well type :	W	U version:	Not Reported
End user i:	1411		
Cnty code:	45	Twp code:	1275
Orig owner:	Not Reported	Orig own 1:	CERTIFIED #54
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SSI
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1031		
St name:	MEMORIAL	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1937743.59		
Horiz y:	628724.32		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	822		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.726167		
Longitude:	-82.60935		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	16		
S water me:	G	S water 1:	08-JUN-10
Cas ht:	0		
Screen len:	20		
Total dept:	25		
Date of co:	08-JUN-10	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	CMW-23 IS A 2" MONITORING WELL WATER DURING DRILLING WAS AT 16'.		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	5		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000012501		

**229
NW
1/2 - 1 Mile
Lower**

OH WELLS OHD700000118235

Well log n:	956347		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1339		
Cnty code:	45	Twp code:	2225
Orig owner:	BRAD	Orig own 1:	ROUSH
Drill type:	Not Reported	Test type :	A
Well use c:	DOMESTIC	Aquifer ty:	SANDSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	2003-175
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	W		
St no:	1037		
St name:	FAIR	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1935467.42		
Horiz y:	628169.87		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	820		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72464		
Longitude:	-82.61744		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	10		
Draw down:	20		
Draw down :	1		
S water le:	38		
S water me:	T	S water 1:	20031009
Cas ht:	1		
Screen len:	0		
Total dept:	80		
Date of co:	20031013	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20031103	Added by:	GERDES
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	10		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000118235		

U230
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000089323

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	845564	U version:	!
Well type :	WATER WELL		
End user i:	1186		
Cnty code:	45	Twp code:	225
Orig owner:	STAN	Orig own 1:	HIGHLEY
Drill type:	CABLE TOOL	Test type :	B
Well use c:	PUBLIC/SEMI-PUB	Aquifer ty:	SANDSTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	98-005
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	428		
St name:	LAKE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1942025.83		
Horiz y:	627346.26		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	833		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.7224		
Longitude:	-82.59412		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	12		
Draw down:	0		
Draw down :	3		
S water le:	60		
S water me:	T	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	100		
Date of co:	19980130	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19981021	Added by:	CUTLER
Date chang:	19981021	Changed by:	CUTLER
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000089323		

U231
NE
1/2 - 1 Mile
Higher

OH WELLS OHD700000091678

Well log n:	917027	U version:	Not Reported
Well type :	WATER WELL		
End user i:	527		
Cnty code:	45	Twp code:	225
Orig owner:	JOE & JULI	Orig own 1:	MCCAFFERTY
Drill type:	ROTARY	Test type :	A
Well use c:	DOMESTIC	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	2000-149
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	1		
St dir cod:	Not Reported		
St no:	484		
St name:	LAKE	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	LANCASTER	State code:	OH
Zip:	43130		
Zone code:	Not Reported		
Horiz x:	1942191.78		
Horiz y:	627342.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	836		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.72239		
Longitude:	-82.59353		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	5		
Draw down:	320		
Draw down :	1		
S water le:	52		
S water me:	G	S water 1:	20000829
Cas ht:	1		
Screen len:	0		
Total dept:	321		
Date of co:	20000830	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20001207	Added by:	CUTLER, PATSY
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000091678		

232
WSW
1/2 - 1 Mile
Higher

OH WELLS OHD700000015448

Well log n:	172326		
Well type :	WATER WELL	U version:	!
End user i:	1139		
Cnty code:	45	Twp code:	1275
Orig owner:	CHARLES	Orig own 1:	CONRAD
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1959	Loc area:	Not Reported
Loc no:	104		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	11		
St dir cod:	Not Reported		
St no:	0		
St name:	22	St type co:	USRT
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1933725.85		
Horiz y:	621644.81		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	846		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.70672		
Longitude:	-82.623597		
Source of :	Not Reported	Flowing we:	N
Test rate:	2		
Draw down:	25		
Draw down :	2		
S water le:	13		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	25		
Date of co:	19560728	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000015448		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

RADON

AREA RADON INFORMATION

State Database: OH Radon

Radon Test Results

Zipcode	Num Tests	Maximum	Minimum	Arith Mean	Geo Mean
43130	557	340.5	0.1	11.5	6.1

Federal EPA Radon Zone for FAIRFIELD County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 43130

Number of sites tested: 9

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.600 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	16.278 pCi/L	22%	33%	44%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Natural Resources

Telephone: 614-265-1044

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

RADON

State Database: OH Radon

Source: Department of Health

Telephone: 614-644-2727

Radon Statistics for Zip Code Areas

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix G

Local Environmental Record Source Letters of Request and Responses



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Ohio State Emergency Response Commission
50 West Town Street
Columbus, Ohio 43216

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter - SERC



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Fairfield County Emergency Management Agency
241 W. Main Street
Suite 100
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Fairfield EMA



FAIRFIELD COUNTY LOCAL EMERGENCY PLANNING COMMITTEE (LEPC)
Administered by the Fairfield County
Office of Emergency Management and Homeland Security

Director: Jon Kochis

County Commissioners

Steve Davis, President
Mike Kiger
David Levacy

Chairman

Chief Kasey Farmer
(740) 654-4357 office
(740) 652-1520 fax

Vice Chairman

Jerry Perrigo
(740) 687-7166 office
(740) 687-6856 fax

March 18, 2015

Ms. Linda Aller
Bennett & Williams Environmental Consultants, Inc.
98 County Line Road West
Westerville, OH 43082

Dear Ms. Aller:

Reference your inquiry regarding the property at 333 Lincoln Avenue, Lancaster, Fairfield County, Ohio 43130.

The Fairfield County Local Emergency Planning Committee (LEPC) has no information or files regarding records of responses; spills; releases; underground storage tanks; hazardous material storage, use, or disposal; or other environmental problems concerning the referenced property.

The Fairfield County LEPC receives only annual chemical inventory reports from facilities required to report in accordance with the federal Emergency Planning and Community Right-to-Know Act (EPCRA) and Chapter 3750 of the Ohio Revised Code.

A check of the County Special Operations Team (Hazmat) records since 1993 reveals no report of hazardous materials spills or release for that location.

FOR THE LEPC CHAIRMAN,


Christy Noland
LEPC Secretary

Mission

To establish, coordinate and sustain partnerships throughout Fairfield County, united in efforts to prepare for emergencies and to minimize loss of life and property and help the community to return to normalcy when they occur.



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Building & Zoning Department
121 East Chestnut Street
Suite 102
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Building & Zoning



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Fire Department
1596 E. Main Street
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Fire



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Code Enforcement
104 East Main Street
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Code Enforcement



CITY OF LANCASTER

Certified Building Department

121 East Chestnut Street, Suite 102

Lancaster, Ohio 43130-3825

(740) 687-6649

Fax (740) 681-5030

Web site: www.ci.lancaster.oh.us/dept/building

March 23, 2015

Bennett & Williams
Environment Consultants, Inc.
98 County Line Rd. West
Suite C
Westerville, OH 43082

Dear Linda Aller,

The Building Department for the City of Lancaster does not know of any issues, complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property known as 333 Lincoln Ave.

Sincerely,

Peter Vail
Building Inspector

File:
Public Records Request



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Building & Zoning Department
121 East Chestnut Street
Suite 102
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter - Building & Zoning



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Department of Engineering
Municipal Annex Building
121 East Chestnut Street
Suite 100
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Engineering



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Lancaster Division of Water
Attn: Michael Nixon, Superintendent of Water
225 N. Memorial Drive
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Mr. Nixon:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive, and is currently situated in the Wellhead Protection Zone 1 (WHPZ1) for the Miller Park Wellfield, as designated in Appendix A of Chapter 1335 of the City of Lancaster code of regulations for wellhead protection. Pursuant to Ordinance 40-94, passed November 28, 1994, and Chapter 1335 Section 1335.05 (b), please notify us of any nonconforming facility or use designations registered with the Lancaster Division of Water at the subject property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka

I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Water

CITY OF LANCASTER
DEPARTMENT OF ENGINEERING
121 EAST CHESTNUT STREET, Suite 100
LANCASTER, OHIO 43130-3825
OFFICE (740) 687-6614 - FAX (740) 681-5030



March 18, 2015

Linda Aller, R.S., CPG
Bennet & Williams
Environmental Consultants, Inc.
98 County Line Road West
Suite C
Westerville, Ohio 43082

RE: Phase I ESA of Commercial Real Estate Property
333 Lincoln Avenue, Lancaster Ohio 43130

Dear Ms. Aller,

The City of Lancaster's Department of Engineering has no record of any complaints, violations, or use, storage, release, or disposal of flammable or hazardous materials for the property located at 333 Lincoln Ave, Lancaster Ohio 43130.

Within a 0.25 mile radius of the aforementioned property, there are a total of sixteen (16) non-conforming facilities pursuant to Ordinance 40-94, passed November 28, 1994, and Chapter 1335 Section 1335.05 (b). These properties are identified as the following:

Facility Name, Address, Industry Type

- City of Lancaster Division of Water, 225 N Memorial Dr., Water Treatment
- City of Lancaster Miller Park, 409 N Memorial Dr., Public Recreation
- NAPA Auto Parts, 385 Lincoln Ave., Automotive/Automobile
- Zebco, Inc., 211 N Columbus St., Automotive/Automobile
- Scott Heston, Inc., 159 N Memorial Dr., Automotive/Automobile
- Tansky Motors, Inc., 150 Whiley Ave., Automotive/Automobile
- Lancaster Radiator, Inc., Automotive/Automobile
- North End Press, Inc., 235 S Columbus St., Newspapers/Publishers
- Motor World of America, 384 Lincoln Ave., Automotive/Automobile
- Lancaster Auto Parts, 428 Lincoln Ave., Automotive/Automobile
- Huddle's, Inc., 300 S Columbus St., Automotive/Automobile
- River Valley Collision, 209 S Whiley Ave., Automotive/Automobile
- AT&T The Ohio Bell Telephone Co., 140 W Wheeling, Public Utility
- Ohio Power Company, Whiley Ave. South of Lincoln, Utility Sub-Station
- Casey's Radiator Service. 136 S George St., Automotive/Automobile
- Minuteman Press, 135 N Columbus St, Printers/Publishers

Linda Aller, R.S., CPG
Bennet & Williams
March 18, 2015
Page 2

If you have any further questions or concerns please contact Samantha
Givens at 740-687-6614.

Sincerely,

A handwritten signature in cursive script that reads "Denise L. Crews, P.E.".

Denise L. Crews, P.E.
Stormwater Coordinator

Cc: Michael Nixon, Division of Water
File



ENVIRONMENTAL CONSULTANTS, INC.

98 COUNTY LINE ROAD WEST • SUITE C • WESTERVILLE, OHIO 43082
TELEPHONE: (614) 882-9122 • FAX: (614) 882-4260 • 1-800-635-3810

March 13, 2015

Fairfield Combined General Health District
Environmental Health Division
1550 Sheridan Drive
Suite 100
Lancaster, Ohio 43130

RE: Phase I ESA of Commercial Real Estate Property;
333 Lincoln Avenue, Lancaster, Ohio 43130

Dear Sir or Madam:

Our firm is conducting a Phase I Environmental Site Assessment of a commercial real estate property at 333 Lincoln Avenue, Lancaster, Ohio, 43130. This property is located on the north side of Lincoln Avenue between Whiley Avenue and Memorial Drive. Please notify us of any information you may have regarding complaints, violations, or the use, storage, release, or disposal of flammable or hazardous materials at this property or surrounding areas that may affect the property. A written response would be appreciated.

Thank you for your attention in this matter.

Very truly yours,
BENNETT & WILLIAMS
ENVIRONMENTAL CONSULTANTS, INC.

Linda Aller, R.S., CPG
Principal

LA/lka
I:/projects/2014/14-04/Kings Furniture/Phase I ESA Letter – Health

Appendix H

Photographs from Site Reconnaissance



Plate H-1. Front of Kings furniture store looking across Lincoln Avenue to the north showing the three-story structure and one-story addition (April 15, 2015).



Plate H-2. Front of Kings Furniture store looking across Lincoln Avenue to the northeast (April 15, 2015).



Plate H-3. West side of Kings Furniture looking across Lincoln Avenue to east-northeast showing handicap access (April 15, 2015).



Plate H-4. West side of Kings Furniture looking east toward Memorial Drive showing asphalt parking lot in foreground (April 15, 2015).



Plate H-5. North and west sides of Kings Furniture showing change in elevation from the front to the back of the building, looking southeast toward Memorial Drive (April 15, 2015).



Plate H-6. North and west sides of Kings Furniture showing change in elevation from the front to the back of the building and alley on the north side of the building and transformer on the north side of the alley, looking east-southeast toward Memorial Drive (April 15, 2015).



Plate H-7. East side of three-story Kings Furniture building showing Roger Conrad Concrete in the foreground and the paved parking lot owned by the Fairfield County Commissioners to the north, looking west (April 15, 2015).



Plate H-8. First floor interior of the building showing current use is still a furniture store, looking toward Lincoln Avenue toward the southwest (April 2, 2015).



Plate H-9. Interior of building showing use a furniture store, looking east and north toward Memorial Drive (April 2, 2015).



Plate H-10. An apparent bank teller's cage in the rear (north) of the store presumably left over from when the property was owned by the Security Savings Company in the 1930s (April 2, 2015).



Plate H-11. Interior of former bank teller's cage with window façade and rear drawers and accessories (April 2, 2015).



Plate H-12. Looking west to passageway (below exit sign) that leads to the one story addition (April 2, 2015).



Plate H-12. Current use of the one story addition as additional furniture storage with passageway to the main building under the “showroom” sign (April 2, 2015).



Plate H-14. Lower level of the three-story building, looking northeast toward Memorial Drive (April 2, 2015).



Plate H-15. Inside the three-story building in the lower level looking east toward Memorial Drive showing the blocked windows on the east side of the building (April 2, 2015).



Plate H-16. Lower level of the three-story building looking west showing the wood in the support column exposed at the base (April 2, 2015).



Plate H-17. Looking west at passageway in the lower level from the three-story building toward the one-story addition (April 2, 2015).



Plate H-18. Looking southwest inside the lower level of the one-story addition (April 2, 2015).



Plate H-19. Looking south toward the door leading to a coal storage area in the lower level of the one-story addition (April 2, 2015).



Plate H-20. Former coal storage room in the lower level of the one-story addition (April 2, 2015).



Plate H-21. Looking west along alley on the north side of the property showing the change in elevation to the north and the transformer on the telephone pole (April 15, 2015).



Plate H-22. Looking west-northwest from the Roger Conrad Concrete property showing the Kings furniture store, alley and the Fairfield County MSMJ and Sheriff's Office in the distance (April 15, 2015).



Plate H-23. Paved parking lot and Fairfield County MSMJ and Sheriff's Office, looking north from the back of Kings Furniture (April 15, 2015).



Plate H-24. Looking west from the Kings Furniture property across the asphalt-paved vacant lot that formerly was a car wash toward the Fairfield County maintenance garage (April 15, 2015).



Plate H-25. Back of Fairfield County maintenance garage showing stormwater grate in foreground, looking west-southwest toward the Hocking River and Lincoln Avenue (April 15, 2015).



Plate H-26. Southwest corner of the one-story addition where two underground fuel oil tanks were closed in place in 2007 prior to purchase of the property by the current owner (April 2, 2015).



Plate H-27. Southwest corner of the one-story addition and handicap ramp where the two fuel oil tanks were closed in place in 2007, looking east toward Memorial Drive along Lincoln Avenue (April 2, 2015).



Plate H-28. Looking across Lincoln Avenue to the south-southeast at the CVS pharmacy and Enterprise rental car businesses (April 15, 2015).



Plate H-29. Looking south across Lincoln Avenue from Kings Furniture toward Wiley Avenue and the Rush Creek General Store (April 15, 2015).



Plate H-30. The Roger Conrad Concrete building immediately to the east of Kings Furniture on Lincoln Avenue, looking northwest (April 2, 2015).



Plate H-31. Fire escape on the east side of the Kings Furniture building where an easement provides access from the Roger Conrad Concrete property, looking north from Lincoln Street with the Roger Conrad Concrete building on the right (April 15, 2015).



Plate H-32. East side of the Kings Furniture building showing the paved elevated area in front of Roger Conrad Concrete, looking west-northwest (April 15, 2015).



Plate H-33. The slope from Lincoln Avenue north on the Roger Conrad Concrete and King Furniture properties, looking southwest toward Lincoln Avenue (April 15, 2015).



Plate H-34. Underground garage on the Roger Conrad Concrete property attached to the Kings Furniture building, looking south-southwest toward Lincoln Avenue (April 15, 2015).



Plate H-35. Use of Roger Conrad Concrete property for junk storage in the vicinity of the underground garage just east of the King Furniture property (April 2, 2015).



Plate H-36. Close-up of underground garage and junk storage on the Roger Conrad Concrete property immediately east of the Kings Furniture building, looking south toward Lincoln Avenue (April 15, 2015).



Plate H-37. Fire escape on eastern side of Kings Furniture building and junk storage area on the Roger Conrad Concrete property, looking north from the elevation along Lincoln Avenue (April 15, 2015).



Plate H-38. Billboard at the northwest corner of Memorial Drive and Lincoln Avenue, east of the Roger Conrad Concrete property, looking northeast (April 15, 2015).



Plate H-39. Southeast corner of Memorial Drive and West Main Street showing field where Lancaster Glass was previously located, looking south (April 15, 2015).



Plate H-40. Looking west-northwest at the Kings Furniture building on Lincoln Avenue from the former Lancaster Glass site (April 15, 2015).



Plate H-41. Former Lancaster Glass site showing area where building was demolished and monitoring wells, looking east from Memorial Drive (April 15, 2015).



Plate H-42. Former Lancaster Glass site, looking south along Memorial Drive (April 15, 2015).



Plate H-43. Surface water pond on former Lancaster Glass site, looking southeast from Memorial Drive (April 15, 2015).

Appendix I

Qualifications of Environmental Professionals

LINDA ALLER

Bennett & Williams

EDUCATION

- BA GEOLOGY - The Ohio State University, 1977
- Graduate courses in Hydrogeology at The Ohio State University, Ohio University, and Wright State University.
- Numerous continuing education courses have been completed related to groundwater modeling, groundwater management, aquifer analysis, safety at hazardous disposal sites, risk assessment, remote sensing and geographic information systems.

ACTIVE REGISTRATIONS/CERTIFICATIONS

- 1979 to Present Registered Sanitarian, State of Ohio (RS 911)
- 1996 to Present OEPA Voluntary Action Program (VAP Certified Professional, CP 141)
- Registered/Licensed Geologist in 20 states
(AL, AK, AR, DE, FL, IL, IN, KY, MN, MS, MO, NE, NH, PA, TN, TX, UT, WA, WI, WY)
- Certified Professional Geologist, AIPG
- Certified Professional Hydrologist, AIH
- 1998 to Present OSHA 40-Hour Hazardous Waste Operations (HAZWOPER)

SUMMARY OF EXPERIENCE

For over 25 years, Ms. Aller has been actively involved in both the management and technical aspects of hydrogeologic and contaminant investigations. She has worked in evaluating drilling and sampling technologies to gain better scientific data and has been involved in water and soil treatment and remediation. She has overseen the removal of underground storage tanks, performed petroleum contamination investigations and evaluated treatment systems for petroleum clean-ups. She has performed Phase I and Phase II site evaluations for commercial and industrial sites. She has also been active in evaluation of hydrogeologic settings with regard to potential for pollution and contaminant migration, water supply investigations and groundwater protection efforts.

Ms. Aller has lectured throughout the United States and internationally on all aspects of groundwater occurrence and potential for pollution and on groundwater clean-up technologies. She has conducted training programs on many topics including groundwater and radionuclide contamination. She has helped develop a prototype expert system on underground storage tanks. She has also created slide shows that have been translated into two foreign languages and that are used to educate people throughout the world about groundwater location and development.

She chaired the committee that developed regulations for domestic wells in the state of Ohio and served as chairman of Ohio's public groundwater task force. She is recognized for her knowledge of Ohio geology and has served as a gubernatorial appointee to the Ohio Geological Advisory Committee and the Sanitarian Registration Board.

Ms. Aller has published state-of-the-art documents on evaluating groundwater pollution that are being used extensively by federal, state and local governments and private concerns to prioritize clean-up, monitoring and capital expenditures. Additional state-of-the-art publications include design and construction practices for groundwater monitoring wells, ways to locate abandoned wells and methods to ensure mechanical integrity of injection wells.

EXAMPLE PROJECT EXPERIENCE

- State of Ohio, Northern Ohio. Supervised geotechnical and hydrogeologic investigation to define the extent of subsurface contamination at a former stamping manufacturing plant. Chemicals of concern included hydrocarbons, PCBs and volatile and semi-volatile compounds. Defined stratigraphy; identified pathways of contamination; installed monitoring network; evaluated remedial technologies to determine feasibility and cost-effectiveness in geologic scenarios; and provided recommendations and cost estimates on remedial alternatives.
- Confidential Client, Southwestern Ohio. Provided litigative support in groundwater contamination investigation of private wells impacted by TCE plume from nearby manufacturing facility. Provided hydrogeological analysis, sampling, groundwater flow rate assessment, and plume definition. Evaluated remedial technologies for stabilizing and cleaning up plume.
- Confidential Client, Sydney, Australia. Provided review and recommendations for remediation of several environmental problems at Olympic site for year 2000. Site included: several landfills in former wetland areas; presence of arsenic in soils; occurrence of PCBs in estuarine sediments, and contaminants in groundwater and soils. Airborne emissions from the landfills were also a concern. Proposed clean-up levels; provided technical evaluation methods for laboratory; evaluated and proposed remedial alternatives to control groundwater contamination including slurry walls and trenches; and provided recommendations on landfill gas control.
- Confidential Client, Southeastern Ohio. Performed underground storage tank removal, prepared site assessment, closure report and release assessment for industrial site with several large (up to 30,000 gallon) tanks. Evaluated impact to groundwater and potential impact on adjacent municipal wellfield. Performed remediation of site and received No Further Action Letter.
- Vesicol Chemical Corporation, Hardeman County, TN. Performed review of RI/FS for USEPA. Provided comments on remedial investigation on: infiltration studies conducted on the existing clay cap, the migration routes of contaminants, drilling methodologies, site hydrogeology and contaminant transport models. Provided technical comments on proposed pump and treat system and other remedial alternatives.
- F.E. Warren Air Force Base, Cheyenne, Wyoming. Performed technical evaluation of the proposed remedial actions for several operable units including spills related to TCE. Proposed modifications to design of slurry wall and recovery trenches. Evaluated designs relative to risk posed to offsite housing from groundwater and surface water routes.
- Confidential Client, Southern Ohio. Supervised site investigation as part of a property transfer. Conducted soil gas survey; soil borings; sample collection; and soil remediation so that building could be constructed on former contaminated site. Contaminants of concern were primarily hydrocarbons.
- Private Hazardous Waste Landfill, Clermont County, Ohio. Project manager responsible for providing litigative support including review of Part B Application; collection and summary of historical operations at a closed hazardous waste disposal facility; review of numerous documents relating to closure of RCRA and pre-RCRA disposal units, drum storage units, land application, solidification unit and truck wash facility; oversight of installation of borings for determination of background concentrations of constituents in soils; oversight of investigation at former drum holding area for presence/extent of organic contamination; preparation of technical comments on all aspects of landfill design components and monitoring, including liners, leachate collection, leachate quality, leak detector water quality, groundwater quality, underdrain water quality; provided review of NPDES permit; and preparation of expert report on post-closure deficiencies.
- Little Hocking, Ohio. Provided technical assistance and litigative support regarding the presence and routes of migration of an unregulated contaminant from a nearby manufacturing facility to a public wellfield; provide technical comments and oversight on field activities relating to investigation of groundwater, soil, air, biota, and vegetative concentration of contamination; performed technical review and prepared comments on NPDES application and siting and permitting of a new specialized water treatment plant.

PUBLICATIONS

- Aller, Linda, Kerry Zwierschke, Julie Weatherington-Rice, Melanie Houston, Trent Dougherty and Jack Shaner, 2013. Shale Gas Development in Ohio, the Ohio Environmental Council, Columbus, Ohio, 12 pp.
- Weatherington-Rice, Julie, Ann D. Christy, Mike P. Angle and Linda Aller, 2006. DRASTIC Hydrogeologic Settings Modified for Fractured Till: Part 1 Theory, The Ohio Journal of Science, vol. 106, no. 2, pp. 45-50.
- Weatherington-Rice, Julie, Ann D. Christy, Mike P. Angle and Linda Aller, 2006. DRASTIC Hydrogeologic Settings Modified for Fractured Till: Part 2 Field Observations, The Ohio Journal of Science, vol. 106, no. 2, pp. 51-63.
- Weatherington-Rice, Julie, Linda Aller, Truman Bennett, Ann Christy, Jerry Bigham, George Hall, Mike Angle, Scott Brockman, Ed Miller, Larry Tornes, Norm Fausey, and Jon Gerken, 1998. Fractures in High Clay Content Unlithified Glacial Materials in Ohio: Where They are Found, How They are Formed and Why They Persist in Mass Transport in Fractured Aquifers and Aquitards Abstracts, Conference Sponsored by the Geological Institute University of Copenhagen, Geological Survey of Denmark and Greenland, the Danish Geotechnical Institute, Groundwater Group Danish Environmental Research Programme and GRUNDFOS, Copenhagen Denmark, pp. 66-69.
- Weatherington-Rice, Julie, Linda Aller, Truman Bennett, Ann Christy, Jerry Bigham, George Hall, Mike Angle, Scott Brockman, Ed Miller, Larry Tornes, Norm Fausey, and Jon Gerken, 1998. Research and Educational Outreach Efforts Relating to Fracture Formation and Water/Contaminant Transport in Ohio in Fractured Aquifers and Aquitards Abstracts, Conference Sponsored by the Geological Institute University of Copenhagen, Geological Survey of Denmark and Greenland, the Danish Geotechnical Institute, Groundwater Group Danish Environmental Research Programme and GRUNDFOS, Copenhagen Denmark, pp. 101-104.
- Aller, Linda, Richard E. Cowles and Truman Bennett, 1996. The Importance of Geologic Setting in Bioremediation in Emerging Technologies in Hazardous Waste Management VI, D. William Tedder and Frederick G. Pohland, editors, American Academy of Environmental Engineers, pp.77-100.
- Aller, Linda and Steven Gardner, 1994. Well Design, Construction and Development in Ground Water Sampling - A Workshop Summary; Dallas, Texas, November 30 - December 2, 1993; United States Environmental Protection Agency, EPA/600/R-94/205, pp. 72-81.
- Aller, Linda and Karen L. Ballou, 1994. Ground-Water Pollution Potential of Geauga County, Ohio; Ohio Department of Natural Resources, Division of Water, Columbus, Ohio, Report No. 12, 64 pp., 1 map.
- Aller, Linda and Karen Ballou, 1994. Ground-Water Pollution Potential of Ashtabula County, Ohio; Ohio Department of Natural Resources, Division of Water, Columbus, Ohio, Report No. 10, 77 pp., 1 map.
- Aller, Linda and Karen Ballou, 1991. Ground-Water Pollution Potential of Lake County, Ohio; Ohio Department of Natural Resources, Division of Water, Columbus, Ohio; Report No. 8, 55 pp., 1 map.
- Aller, Linda and Karen Ballou, 1990. Ground-Water Pollution Potential of Knox County, Ohio; Ohio Department of Natural Resources, Division of Water, Columbus, Ohio; Report No. 23, 101 pp., 1 map.
- Aller, Linda, Truman W. Bennett, Glen Hackett, Rebecca J. Petty, Jay H. Lehr, Helen Sedoris and David Nielsen, 1989. Handbook of Suggested Practices for the Design and Installation of Ground-Water Monitoring Wells; U.S. Environmental Protection Agency, 396 pp.
- Wagner, Terry D., M. Jim Hendry, Linda Aller and Jay H. Lehr, 1988. DRASTIC: A Demonstration Mapping Project; Botetourt, Carroll, Henrico, Middlesex, Prince William and Rockingham Counties, Virginia, Virginia Water Control Board, Richmond, Virginia, 50 pp.
- Aller, Linda, Truman W. Bennett, Jay H. Lehr, Rebecca Petty and Glen Hackett, 1987. DRASTIC: A Standardized System for Evaluating Ground-Water Pollution Potential Using

Hydrogeologic Settings; U.S. Environmental Protection Agency, Publication Number 600/2-87/035, 622 pp.

- Aller, Linda, Truman W. Bennett, Jay H. Lehr and Rebecca Petty, 1986. "DRASTIC: A System to Evaluate the Pollution Potential of Hydrogeologic Settings by Pesticides"; Evaluation of Pesticides in Ground Water, ACS Symposium Series 315, American Chemical Society, Washington, DC, pp. 141-158.
- Aller, Linda, Jay H. Lehr, Truman W. Bennett and Rebecca J. Petty, 1985. "DRASTIC: A Standardized System for Evaluating Ground-Water Pollution Potential Using Hydrogeologic Settings"; Proceedings of the Conference and Exposition on Petroleum Hydrocarbons and Organic Chemicals in Ground Water, Water Well Journal Publishing Company, Dublin, Ohio, pp. 38-57.
- Alexander, W. Joseph, Jay H. Lehr and Linda Aller, 1985. "Training Manual for Using DRASTIC Hydrogeologic Factors in Conducting a National Ground-Water Vulnerability Assessment"; Research Triangle Institute, Research Triangle Park, North Carolina, 166 pp.
- Aller, Linda, Jay H. Lehr, Truman W. Bennett and Rebecca J. Petty, 1985. DRASTIC: A Standardized System for Evaluating Ground-Water Pollution Potential Using Hydrogeologic Settings; U.S. Environmental Protection Agency, Publication Number EPA/600/2-85/018, 163 pp.
- Aller, Linda, Rhonda G. Hackundy and David M. Nielsen, 1985. Enforcement of Regulations Governing Ground-Water Contamination From Underground Injection or Disposal of Salt Water in Kansas and Texas; U.S. Environmental Protection Agency, Publication Number EPA/600/2-85/034, 75 pp.
- Aller, Linda, 1984. "Abandoned Wells - How To Find Them"; Proceedings of the Seventh Ground-Water Quality Symposium, Water Well Journal Publishing Company, Worthington, Ohio, pp. 288-305.
- Nielsen, David M. and Linda Aller, 1984. Methods for Determining the Mechanical Integrity of Class II Injection Wells; U.S. Environmental Protection Agency, Publication Number EPA/600/2-84/121, 263 pp.
- Aller, Linda, 1984. "Survey of Available Technologies for Locating Abandoned Wells"; Proceedings of the First National Conference on Abandoned Wells: Problems and Solutions, May 30-31, 1984, Environmental and Ground Water Institute, University of Oklahoma, Norman, Oklahoma, pp. 125-143.
- Nielsen, David M. and Linda Aller, 1984. "Artificial Recharge: A Water Supply Alternative for the Chicago Suburban Area"; Proceedings of the NWWA Eastern Regional Conference on Ground-Water Management, Water Well Journal Publishing Company, Worthington, Ohio, pp. 85-121.
- Nielsen, David M. and Linda Aller (editors), 1984. Proceedings of the NWWA Eastern Regional Conference on Ground-Water Management; Water Well Journal Publishing Company, Worthington, Ohio, 788 pp.
- Nielsen, David M. and Linda Aller (editors), 1984. Proceedings of the NWWA Western Regional Conference on Ground-Water Management; Water Well Journal Publishing Company, Worthington, Ohio, 369 pp.
- Aller, Linda, 1984. Methods for Determining the Location of Abandoned Wells; U.S. Environmental Protection Agency, Publication Number EPA/600/2-84/123, 130 pp.
- Nielsen, David M. and Linda Aller (editors), 1983. Proceedings of the Sixth National Ground-Water Quality Symposium; Water Well Journal Publishing Company, Worthington, Ohio, 318 pp.
- Lehr, Jay H. and Linda Aller, 1983. "Ground Water Use and Abuse"; Proceedings of the Diversion of Great Lakes Water: Critical Resource, Critical Issue, Kalamazoo, Michigan.
- Bennett, Truman W., Tyler E. Gass, Jay H. Lehr, Linda Aller and David M. Nielsen, 1982. "A Cost-Effective Water Supply Alternative for the Chicago Suburban Area: Artificial Ground-Water Recharge"; Water Resources Council of Chicagoland, Chicago, Illinois, 70 pp.

GLEN HACKETT

Bennett & Williams

EDUCATION

- BS ENVIRONMENTAL HEALTH - Wright State University, 1976
- Continuing education through graduate courses in hydrogeology at the Ohio State University and Wright State University, and attendance at accredited short courses on ground-water monitoring and sampling, remediation of contaminated ground water, underground storage tank management, health and safety training at hazardous materials sites and preparing health risk assessments.

ACTIVE REGISTRATIONS/CERTIFICATIONS

- 1978 to Present Registered Sanitarian, State of Ohio
- 1988 to Present OSHA 40-hour Hazardous Waste Operations (HAZWOPER)

FIELDS OF SPECIAL COMPETENCE

- Mr. Hackett has over 35 years in the environmental field including management of underground storage tank systems; environmental audits; environmental evaluations for real estate transactions; sampling and quality control in remedial site investigations; hydrogeologic investigations; monitoring well design and construction; domestic well design and construction; well development and rehabilitation; ground-water microbiology; and on-site sewage disposal system design and construction.
- Mr. Hackett is qualified as an Environmental Professional as defined by US EPA's All Appropriate Inquiry legislation and by ASTM Practice E1527-13.

EXAMPLE PROJECT EXPERIENCE

- Berkeley Springs, WV. Site stabilization/Site investigation of a suspected release from an underground storage tank system that has resulted in vapors and free product in local basements, utility trenches, and storm/sanitary sewers; responsibilities included conducting a vapor monitoring survey; soil gas survey; soil drilling and sampling; monitoring well construction and ground-water sampling; and developing a corrective action plan.
- Grove City, Ohio. Environmental evaluation, as part of a real estate transaction, of a city property previously developed as a retail gasoline station; responsibilities included a review of the chain-of-title report, a database search for reported spill incidences, and a review of aerial photos; a soil gas survey to outline areas impacted by residual hydrocarbons; and recommendations for a secondary evaluation to identify the extent of hydrocarbon migration, evaluate impacted media, and proposal of clean-up options.
- Confidential Client. Site assessment, as part of an underground storage Central Ohio tank closure, to define the extent of hydrocarbon migration; responsibilities included soil drilling and sampling; interpretation of site stratigraphy; jar headspace analysis of soil samples for volatile organics; and submission of a site assessment/closure report to state officials.
- Urbana, Ohio and Bellefontaine, Ohio. Preliminary evaluation of underground storage tank systems to develop compliance programs; responsibilities included reconciliation of inventory records; a review of the system design and construction; a soil gas survey of the tank backfill for volatile organics; a review of regulatory compliance issues; and outlining management options.

- Colonial Heights, VA. Closure of an inactive municipal waste-disposal facility; responsibilities included assisting with the inventory of drums of hazardous waste to identify potentially responsible parties; implementing site health and safety plan.
- Confidential Client, Southern Ohio. Evaluation of operational hazardous waste disposal facility to assess compliance with federal permit requirements; responsibilities included reviewing general facility standards and manifest system, recordkeeping and reporting requirements; reviewing closure plans for portions of the facility; reviewing application for discharge permit; reviewing sampling plans; developing a surface-water/sediment sampling program to detect off-site movement of contaminants.
- Private Client, Eastern Ohio. Hydrogeological investigation for siting and design of a proposed solid waste landfill; responsibilities included supervision of drilling and soil sampling; monitoring well and piezometer design and installation; and interpretation of hydrogeological data.
- Columbus, Ohio. Hydrogeological investigation/construction dewatering recommendations for a proposed underground sewer project; responsibilities included supervision of pumping tests; development of a groundwater user database for the study area.
- Confidential Client, Central Ohio. Investigation of the availability of groundwater resources for a 2,500-acre proposed residential development and suitability for on-site sewage disposal; responsibilities included development of a groundwater database; interpretation of hydrogeological data; evaluation of soil and drainage capabilities relative to the installation of individual on-site sewage disposal systems.
- Leesville, Ohio. Remedial chemical treatment program to evaluate the control of iron bacteria in relief wells for the U. S. Army Corp of Engineers; responsibilities included developing a methodology to determine the presence of iron bacteria in wells; developing specifications for a chemical remediation program; supervising pumping tests and treatment procedures; evaluating the treatment program..
- Wood County, Ohio. Investigation of groundwater contamination in a residential development; responsibilities included conducting a sanitary survey of domestic water wells and on-site sewage disposal systems; characterizing site hydrogeology; evaluating the impact of on-site sewage systems on local ground-water quality.
- Sunbury, Ohio. Supervision of underground storage tank removal; site assessment; release investigation and development of corrective action plan.

PUBLICATIONS

- Hackett, Glen, 1984. *"The Threat of Bacterial Contamination of Ground Water from Septic Tanks"*, Proceedings of the 1984 Ohio Conference on Home Sewage and Water Supply, Ohio Department of Health, Columbus, Ohio, pp. 94-106.
- Hackett, Glen and Jay H. Lehr, 1986. *Iron Bacteria Occurrence, Problems and Control Methods in Water Wells*; National Water Well Association, Dublin, Ohio, 79 pp.
- Aller, Linda, Truman W. Bennett, Jay H. Lehr, Rebecca Petty and Glen Hackett, 1987. *DRASTIC: A Standardized System for Evaluating Ground-Water Pollution Potential Using Hydrogeologic Settings*; U. S. Environmental Protection Agency Publication Number 600/2-87/035, 622 pp.
- Hackett, Glen, 1987. *"Drilling and Constructing Monitoring Wells with Hollow-Stem Augers, Part 1. Drilling Considerations"*; Ground Water Monitoring Review, Vol.7, No.4, pp. 51.62.
- Hackett, Glen, 1988. *"Drilling and Constructing Monitoring Wells with Hollow-Stem Augers, Part 2. Monitoring Well Installation"*; Ground Water Monitoring Review, Vol. 8, No. 1, pp.60-68.
- Aller, Linda, Truman Bennett, Glen Hackett, Rebecca Petty, Jay Lehr, Helen Sedoris and David Nielsen, 1990. *Handbook of Suggested Practices for the Design and Installation of Ground-Water Monitoring Wells*; USEPA, Environmental Monitoring Systems Laboratory; National Water Well Association, Dublin, Ohio, 398 pp.